

**New Mexico Public Education Department  
School Designations**

	A	B	C	D	E	F	G
1	DC	DISTRICT	SCHOOL	AYP	2004-2005 NCLB DESIGNATION	2004-2005 Accreditation Status	2003-2004 RATING
2							
3	46,004	ALAMOGORDO PUBLIC SCHOOLS	ACADEMY DEL SOL ALTERNATIVE HIGH	Did not meet AYP	None	Continuance	Meets Standards
4	46,015	ALAMOGORDO PUBLIC SCHOOLS	ALAMOGORDO HIGH SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
5	46,028	ALAMOGORDO PUBLIC SCHOOLS	BUENA VISTA ELEMENTARY	Met AYP	None	Continuance	Meets Standards
6	46,033	ALAMOGORDO PUBLIC SCHOOLS	CHAPARRAL MIDDLE	Met AYP	None	Continuance	Meets Standards
7	46,056	ALAMOGORDO PUBLIC SCHOOLS	HEIGHTS ELEMENTARY	Met AYP	None	Continuance	Meets Standards
8	46,057	ALAMOGORDO PUBLIC SCHOOLS	HIGH ROLLS MTN ELEMENTARY	Met AYP	None	Continuance	Meets Standards
9	46,059	ALAMOGORDO PUBLIC SCHOOLS	HOLLOMAN INTERMEDIATE	Met AYP	None	Continuance	Meets Standards
10	46,037	ALAMOGORDO PUBLIC SCHOOLS	HOLLOMAN MIDDLE	Met AYP	None	Continuance	Meets Standards
11	46,058	ALAMOGORDO PUBLIC SCHOOLS	HOLLOMAN PRIMARY	Met AYP	None	Continuance	Exceeds Standard
12	46,072	ALAMOGORDO PUBLIC SCHOOLS	LA LUZ ELEMENTARY	Met AYP	None	Continuance	Exceeds Standard
13	99,934	ALAMOGORDO PUBLIC SCHOOLS	LACY SIMMS MIDDLE	Did not meet AYP	None	Continuance	Not Rated
14	46,003	ALAMOGORDO PUBLIC SCHOOLS	MOUNTAIN VIEW MIDDLE	Met AYP	None	Continuance	Meets Standards
15	46,114	ALAMOGORDO PUBLIC SCHOOLS	NORTH ELEMENTARY	Met AYP	None	Continuance	Meets Standards
16	46,118	ALAMOGORDO PUBLIC SCHOOLS	OREGON ELEMENTARY	Met AYP	None	Continuance	Meets Standards
17	46,144	ALAMOGORDO PUBLIC SCHOOLS	SACRAMENTO ELEMENTARY	Met AYP	None	Continuance	Probationary
18	46,150	ALAMOGORDO PUBLIC SCHOOLS	SIERRA ELEMENTARY	Met AYP	None	Continuance	Meets Standards
19	46,181	ALAMOGORDO PUBLIC SCHOOLS	YUCCA ELEMENTARY	Met AYP	None	Continuance	Meets Standards
20							
21	1,321	ALBUQUERQUE PUBLIC SCHOOLS	A. MONTOYA ELEMENTAR	Did not meet AYP	None	Continuance	Meets Standards
22	1,204	ALBUQUERQUE PUBLIC SCHOOLS	ACOMA ELEMENTARY	Met AYP	None	Continuance	Meets Standards
23	1,206	ALBUQUERQUE PUBLIC SCHOOLS	ADOBE ACRES ELEMENTA	Met AYP	None	Continuance	Meets Standards
24	1,207	ALBUQUERQUE PUBLIC SCHOOLS	ALAMEDA ELEMENTARY	Met AYP	None	Continuance	Meets Standards
25	1,210	ALBUQUERQUE PUBLIC SCHOOLS	ALAMOSA ELEMENTARY	Met AYP	SI -2	Continuance	Probationary
26	1,511	ALBUQUERQUE PUBLIC SCHOOLS	ALBUQUERQUE EVENING	Did not meet AYP	None	Continuance	Meets Standards
27	1,590	ALBUQUERQUE PUBLIC SCHOOLS	ALBUQUERQUE HIGH SCH	Did not meet AYP	None	Continuance	Meets Standards
28	1,213	ALBUQUERQUE PUBLIC SCHOOLS	ALVARADO ELEMENTARY	Met AYP	None	Continuance	Meets Standards
29	99,908	ALBUQUERQUE CHARTER SCHOOLS	AMY BIEHL CHARTER SCHOOL	Met AYP	None	Continuance	Meets Standards
30	1,214	ALBUQUERQUE PUBLIC SCHOOLS	APACHE ELEMENTARY	Met AYP	None	Continuance	Meets Standards
31	1,215	ALBUQUERQUE PUBLIC SCHOOLS	ARMIJO ELEMENTARY	Met AYP	CA - delay	Provisional	Probationary
32	1,329	ALBUQUERQUE PUBLIC SCHOOLS	ARROYO DEL OSO ELEME	Met AYP	None	Continuance	Meets Standards
33	1,216	ALBUQUERQUE PUBLIC SCHOOLS	ATRISCO ELEMENTARY	Did not meet AYP	CA	Continuance	Meets Standards
34	1,222	ALBUQUERQUE PUBLIC SCHOOLS	BANDELIER ELEMENTARY	Met AYP	None	Continuance	Meets Standards
35	1,225	ALBUQUERQUE PUBLIC SCHOOLS	BARCELONA ELEMENTARY	Met AYP	None	Continuance	Meets Standards
36	1,228	ALBUQUERQUE PUBLIC SCHOOLS	BEL-AIR ELEMENTARY	Did not meet AYP	None	Continuance	Meets Standards

**New Mexico Public Education Department  
School Designations**

	A	B	C	D	E	F	G
1	DC	DISTRICT	SCHOOL	AYP	2004-2005 NCLB DESIGNATION	2004-2005 Accreditation Status	2003-2004 RATING
2							
37	1,229	ALBUQUERQUE PUBLIC SCHOOLS	BELLEHAVEN ELEMENTAR	Met AYP	None	Continuance	Meets Standards
38	1,339	ALBUQUERQUE PUBLIC SCHOOLS	CARLOS REY ELEMENTAR	Met AYP	SI - 2 delay	Continuance	Probationary
39	1,295	ALBUQUERQUE PUBLIC SCHOOLS	CHAMIZA ELEMENTARY	Met AYP	None	Continuance	Exceeds Standard
40	1,234	ALBUQUERQUE PUBLIC SCHOOLS	CHAPARRAL ELEMENTARY	Did not meet AYP	None	Continuance	Meets Standards
41	99,916	ALBUQUERQUE CHARTER SCHOOLS	CHARTER VOCATIONAL HS	Did not meet AYP	None	Continuance	Not Rated
42	1,236	ALBUQUERQUE PUBLIC SCHOOLS	CHELWOOD ELEMENTARY	Did not meet AYP	None	Continuance	Meets Standards
43	1,580	ALBUQUERQUE PUBLIC SCHOOLS	CIBOLA HIGH SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
44	1,407	ALBUQUERQUE PUBLIC SCHOOLS	CLEVELAND MIDDLE SCH	Did not meet AYP	None	Continuance	Meets Standards
45	1,237	ALBUQUERQUE PUBLIC SCHOOLS	COCHITI ELEMENTARY	Met AYP	None	Continuance	Meets Standards
46	1,240	ALBUQUERQUE PUBLIC SCHOOLS	COLLET PARK ELEMENTA	Did not meet AYP	None	Continuance	Meets Standards
47	1,241	ALBUQUERQUE PUBLIC SCHOOLS	COMANCHE ELEMENTARY	Met AYP	None	Continuance	Meets Standards
48	1,351	ALBUQUERQUE PUBLIC SCHOOLS	CORRALES ELEMENTARY	Met AYP	None	Continuance	Meets Standards
49	1,514	ALBUQUERQUE PUBLIC SCHOOLS	DEL NORTE HIGH SCHOO	Did not meet AYP	None	Continuance	Meets Standards
50	1,203	ALBUQUERQUE PUBLIC SCHOOLS	DENNIS CHAVEZ ELEMEN	Met AYP	None	Continuance	Exemplary
51	1,430	ALBUQUERQUE PUBLIC SCHOOLS	DESERT RIDGE MIDDLE	Did not meet AYP	None	Continuance	Exceeds Standard
52	1,244	ALBUQUERQUE PUBLIC SCHOOLS	DOLORES GONZALES ELE	Met AYP	None	Continuance	Meets Standards
53	1,350	ALBUQUERQUE PUBLIC SCHOOLS	DOUBLE EAGLE ELEMENT	Met AYP	None	Continuance	Exceeds Standard
54	1,303	ALBUQUERQUE PUBLIC SCHOOLS	DOUGLAS MACARTHUR EL	Met AYP	None	Continuance	Meets Standards
55	1,249	ALBUQUERQUE PUBLIC SCHOOLS	DURANES ELEMENTARY	Met AYP	SI-2 delay	Continuance	Probationary
56	99,906	ALBUQUERQUE CHARTER SCHOOLS	EAST MOUNTAIN HS	Did not meet AYP	None	Continuance	Exemplary
57	1,252	ALBUQUERQUE PUBLIC SCHOOLS	EAST SAN JOSE ELEMEN	Met AYP	None	Continuance	Meets Standards
58	1,219	ALBUQUERQUE PUBLIC SCHOOLS	EDMUND G ROSS ELEMEN	Met AYP	None	Continuance	Meets Standards
59	1,480	ALBUQUERQUE PUBLIC SCHOOLS	EISENHOWER MIDDLE SC	Met AYP	None	Continuance	Meets Standards
60	1,515	ALBUQUERQUE PUBLIC SCHOOLS	ELDORADO HIGH SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
61	1,255	ALBUQUERQUE PUBLIC SCHOOLS	EMERSON ELEMENTARY	Met AYP	None	Continuance	Meets Standards
62	1,450	ALBUQUERQUE PUBLIC SCHOOLS	ERNIE PYLE MIDDLE SC	Did not meet AYP	Restructuring 1	Provisional	Probationary
63	1,258	ALBUQUERQUE PUBLIC SCHOOLS	EUBANK ELEMENTARY	Did not meet AYP	None	Continuance	Meets Standards
64	1,261	ALBUQUERQUE PUBLIC SCHOOLS	EUGENE FIELD ELEMENT	Met AYP	CA delay	Provisional	Probationary
65	1,596	ALBUQUERQUE PUBLIC SCHOOLS	FREEDOM HIGH SCHOOL	Did not meet AYP	None	Continuance	Not Rated
66	1,410	ALBUQUERQUE PUBLIC SCHOOLS	GARFIELD MIDDLE SCHO	Met AYP	SI -2 delay	Continuance	Probationary
67	1,328	ALBUQUERQUE PUBLIC SCHOOLS	GEORGIA O'KEEFFE ELE	Met AYP	None	Continuance	Exemplary
68	1,230	ALBUQUERQUE PUBLIC SCHOOLS	GOV BENT ELEMENTARY	Met AYP	None	Continuance	Meets Standards
69	1,413	ALBUQUERQUE PUBLIC SCHOOLS	GRANT MIDDLE SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
70	1,267	ALBUQUERQUE PUBLIC SCHOOLS	GRIEGOS ELEMENTARY	Did not meet AYP	None	Continuance	Meets Standards

**New Mexico Public Education Department  
School Designations**

	A	B	C	D	E	F	G
1	DC	DISTRICT	SCHOOL	AYP	2004-2005 NCLB DESIGNATION	2004-2005 Accreditation Status	2003-2004 RATING
2							
71	1,415	ALBUQUERQUE PUBLIC SCHOOLS	HARRISON MIDDLE SCHO	Met AYP	CA - delay	Provisional	Probationary
72	1,270	ALBUQUERQUE PUBLIC SCHOOLS	HAWTHORNE ELEMENTARY	Met AYP	None	Continuance	Probationary
73	1,416	ALBUQUERQUE PUBLIC SCHOOLS	HAYES MIDDLE SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
74	1,520	ALBUQUERQUE PUBLIC SCHOOLS	HIGHLAND HIGH SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
75	1,273	ALBUQUERQUE PUBLIC SCHOOLS	HODGIN ELEMENTARY	Met AYP	None	Continuance	Meets Standards
76	1,418	ALBUQUERQUE PUBLIC SCHOOLS	HOOVER MIDDLE SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
77	99,904	ALBUQUERQUE CHARTER SCHOOLS	HORIZON ACADEMY NORTHWEST	Did not meet AYP	None	Continuance	Not Rated
78	99,918	ALBUQUERQUE CHARTER SCHOOLS	HORIZON ACADEMY SOUTH	Met AYP	None	Continuance	Not Rated
79	99,905	ALBUQUERQUE CHARTER SCHOOLS	HORIZON ACADEMY WEST	Met AYP	None	Continuance	Not Rated
80	1,221	ALBUQUERQUE PUBLIC SCHOOLS	HUB H HUMPHREY ELEME	Met AYP	None	Continuance	Meets Standards
81	1,276	ALBUQUERQUE PUBLIC SCHOOLS	INEZ ELEMENTARY	Met AYP	None	Continuance	Meets Standards
82	1,420	ALBUQUERQUE PUBLIC SCHOOLS	JACKSON MIDDLE SCHOO	Did not meet AYP	None	Continuance	Meets Standards
83	1,490	ALBUQUERQUE PUBLIC SCHOOLS	JAMES MONROE MIDDLE	Met AYP	None	Continuance	Meets Standards
84	1,425	ALBUQUERQUE PUBLIC SCHOOLS	JEFFERSON MIDDLE SCH	Did not meet AYP	None	Continuance	Meets Standards
85	1,445	ALBUQUERQUE PUBLIC SCHOOLS	JIMMY CARTER MIDDLE	Did not meet AYP	SI -2	Continuance	Probationary
86	1,405	ALBUQUERQUE PUBLIC SCHOOLS	JOHN ADAMS MIDDLE SC	Met AYP	None	Continuance	Probationary
87	1,217	ALBUQUERQUE PUBLIC SCHOOLS	JOHN BAKER ELEMENTAR	Met AYP	None	Continuance	Meets Standards
88	1,427	ALBUQUERQUE PUBLIC SCHOOLS	KENNEDY MIDDLE SCHOO	Did not meet AYP	None	Continuance	Meets Standards
89	1,279	ALBUQUERQUE PUBLIC SCHOOLS	KIRTLAND ELEMENTARY	Met AYP	None	Continuance	Meets Standards
90	1,231	ALBUQUERQUE PUBLIC SCHOOLS	KIT CARSON ELEMENTAR	Met AYP	None	Continuance	Meets Standards
91	99,915	ALBUQUERQUE CHARTER SCHOOLS	LA ACADEMIA DE ESPERANZA	Did not meet AYP	None	Continuance	Not Rated
92	1,525	ALBUQUERQUE PUBLIC SCHOOLS	LA CUEVA HIGH SCHOOL	Met AYP	None	Continuance	Exemplary
93	1,282	ALBUQUERQUE PUBLIC SCHOOLS	LA LUZ ELEMENTARY	Met AYP	CA - delay	Provisional	Probationary
94	1,285	ALBUQUERQUE PUBLIC SCHOOLS	LA MESA ELEMENTARY	Met AYP	None	Continuance	Meets Standards
95	1,288	ALBUQUERQUE PUBLIC SCHOOLS	LAVALAND ELEMENTARY	Did not meet AYP	Restructuring 1	Provisional	Probationary
96	1,373	ALBUQUERQUE PUBLIC SCHOOLS	LEW WALLACE ELEMENTA	Met AYP	None	Continuance	Meets Standards
97	1,291	ALBUQUERQUE PUBLIC SCHOOLS	LONGFELLOW ELEMENTAR	Did not meet AYP	None	Continuance	Meets Standards
98	1,297	ALBUQUERQUE PUBLIC SCHOOLS	LOS PADILLAS ELEMENT	Met AYP	CA - delay	Provisional	Probationary
99	99,903	ALBUQUERQUE CHARTER SCHOOLS	LOS PUENTES CHARTER SCHOOL	Did not meet AYP	None	Continuance	Not Rated
100	1,336	ALBUQUERQUE PUBLIC SCHOOLS	LOS RANCHOS ELEMENTA	Met AYP	None	Continuance	Meets Standards
101	1,300	ALBUQUERQUE PUBLIC SCHOOLS	LOWELL ELEMENTARY	Met AYP	None	Provisional	Meets Standards
102	1,485	ALBUQUERQUE PUBLIC SCHOOLS	L.B. JOHNSON MIDDLE	Did not meet AYP	None	Continuance	Meets Standards
103	1,435	ALBUQUERQUE PUBLIC SCHOOLS	MADISON MIDDLE SCHOO	Did not meet AYP	None	Continuance	Meets Standards
104	1,530	ALBUQUERQUE PUBLIC SCHOOLS	MANZANO HIGH SCHOOL	Did not meet AYP	None	Continuance	Meets Standards

**New Mexico Public Education Department  
School Designations**

	A	B	C	D	E	F	G
1	DC	DISTRICT	SCHOOL	AYP	2004-2005 NCLB DESIGNATION	2004-2005 Accreditation Status	2003-2004 RATING
2							
105	1,365	ALBUQUERQUE PUBLIC SCHOOLS	MARIE M HUGHES ELEME	Met AYP	None	Continuance	Exceeds Standard
106	1,364	ALBUQUERQUE PUBLIC SCHOOLS	MARK TWAIN ELEMENTAR	Met AYP	None	Continuance	Meets Standards
107	1,250	ALBUQUERQUE PUBLIC SCHOOLS	MARYANN BINFORD ELEM	Did not meet AYP	CA	Continuance	Meets Standards
108	1,305	ALBUQUERQUE PUBLIC SCHOOLS	MATHESON PARK ELEMEN	Met AYP	None	Continuance	Meets Standards
109	1,307	ALBUQUERQUE PUBLIC SCHOOLS	MC COLLUM ELEMENTARY	Met AYP	None	Continuance	Meets Standards
110	1,440	ALBUQUERQUE PUBLIC SCHOOLS	MC KINLEY MIDDLE SCH	Did not meet AYP	None	Continuance	Meets Standards
111	1,309	ALBUQUERQUE PUBLIC SCHOOLS	MISSION AVENUE ELEME	Did not meet AYP	None	Continuance	Meets Standards
112	1,310	ALBUQUERQUE PUBLIC SCHOOLS	MITCHELL ELEMENTARY	Met AYP	None	Continuance	Meets Standards
113	1,312	ALBUQUERQUE PUBLIC SCHOOLS	MONTE VISTA ELEMENTA	Met AYP	None	Continuance	Meets Standards
114	1,315	ALBUQUERQUE PUBLIC SCHOOLS	MONTEZUMA ELEMENTARY	Did not meet AYP	None	Continuance	Meets Standards
115	1,324	ALBUQUERQUE PUBLIC SCHOOLS	MOUNTAIN VIEW ELEMEN	Met AYP	None	Continuance	Probationary
116	1,327	ALBUQUERQUE PUBLIC SCHOOLS	NAVAJO ELEMENTARY	Met AYP	SI - 1 delay	Continuance	Probationary
117	1,549	ALBUQUERQUE PUBLIC SCHOOLS	NEW FUTURES SCHOOL	Met AYP	None	Continuance	Probationary
118	99,912	ALBUQUERQUE CHARTER SCHOOLS	NUESTROS VALORES CHARTER	Did not meet AYP	None	Continuance	Meets Standards
119	1,227	ALBUQUERQUE PUBLIC SCHOOLS	ONATE ELEMENTARY	Met AYP	None	Continuance	Meets Standards
120	1,332	ALBUQUERQUE PUBLIC SCHOOLS	OSUNA ELEMENTARY	Did not meet AYP	None	Continuance	Exceeds Standard
121	1,275	ALBUQUERQUE PUBLIC SCHOOLS	PAINTED SKY ELEMENTA	Did not meet AYP	SI - 1	Continuance	Probationary
122	1,333	ALBUQUERQUE PUBLIC SCHOOLS	PAJARITO ELEMENTARY	Did not meet AYP	None	Continuance	Meets Standards
123	99,902	ALBUQUERQUE CHARTER SCHOOLS	PASEO DEL MONTE MIDDLE SCHOOL	Did not meet AYP	None	Continuance	Not Rated
124	1,317	ALBUQUERQUE PUBLIC SCHOOLS	PETROGLYPH ELEMENTAR	Did not meet AYP	None	Continuance	Meets Standards
125	1,448	ALBUQUERQUE PUBLIC SCHOOLS	POLK MIDDLE SCHOOL	Met AYP	Restr. 1 delay	Provisional	Probationary
126	99,913	ALBUQUERQUE CHARTER SCHOOLS	PUBLIC ACADEMY FOR PERFORMING ARTS	Did not meet AYP	None	Continuance	Meets Standards
127	1,330	ALBUQUERQUE PUBLIC SCHOOLS	REGINALD CHAVEZ ELEM	Met AYP	None	Continuance	Meets Standards
128	1,540	ALBUQUERQUE PUBLIC SCHOOLS	RIO GRANDE HIGH SCHO	Did not meet AYP	None	Continuance	Meets Standards
129	99,914	ALBUQUERQUE CHARTER SCHOOLS	ROBERT F. KENNEDY CHARTER	Did not meet AYP	SI - 1	Continuance	Probationary
130	1,452	ALBUQUERQUE PUBLIC SCHOOLS	ROOSEVELT MIDDLE SCH	Did not meet AYP	None	Continuance	Meets Standards
131	1,360	ALBUQUERQUE PUBLIC SCHOOLS	S. Y. JACKSON ELEMEN	Met AYP	None	Continuance	Exemplary
132	1,345	ALBUQUERQUE PUBLIC SCHOOLS	SAN ANTONITO ELEMENT	Met AYP	None	Continuance	Meets Standards
133	1,348	ALBUQUERQUE PUBLIC SCHOOLS	SANDIA BASE ELEMENTA	Met AYP	None	Continuance	Meets Standards
134	1,550	ALBUQUERQUE PUBLIC SCHOOLS	SANDIA HIGH SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
135	1,597	ALBUQUERQUE PUBLIC SCHOOLS	SCHOOL ON WHEELS	Did not meet AYP	None	Continuance	Meets Standards
136	1,265	ALBUQUERQUE PUBLIC SCHOOLS	SEVEN-BAR ELEMENTARY	Met AYP	None	Continuance	Meets Standards
137	1,594	ALBUQUERQUE PUBLIC SCHOOLS	SIERRA ALTERNATIVE	Met AYP	None	Continuance	Probationary
138	1,356	ALBUQUERQUE PUBLIC SCHOOLS	SIERRA VISTA ELEMENT	Met AYP	None	Continuance	Meets Standards

**New Mexico Public Education Department  
School Designations**

	A	B	C	D	E	F	G
1	DC	DISTRICT	SCHOOL	AYP	2004-2005 NCLB DESIGNATION	2004-2005 Accreditation Status	2003-2004 RATING
2							
139	1,357	ALBUQUERQUE PUBLIC SCHOOLS	SOMBRA DEL MONTE ELE	Met AYP	None	Continuance	Meets Standards
140	99,907	ALBUQUERQUE CHARTER SCHOOLS	SOUTH VALLEY ACADEMY	Met AYP	None	Continuance	Meets Standards
141	1,012	ALBUQUERQUE PUBLIC SCHOOLS	STRONGHURST ALT SCHO	Did not meet AYP	SI - 1	Continuance	Probationary
142	1,280	ALBUQUERQUE PUBLIC SCHOOLS	SUSIE R. MARMON ELEM	Met AYP	None	Continuance	Probationary
143	99,910	ALBUQUERQUE CHARTER SCHOOLS	SOUTHWEST SECONDARY LEARNING CTR	Did not meet AYP	None	Continuance	Exceeds Standards
144	1,455	ALBUQUERQUE PUBLIC SCHOOLS	TAFT MIDDLE SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
145	1,457	ALBUQUERQUE PUBLIC SCHOOLS	TAYLOR MIDDLE SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
146	1,900	ALBUQUERQUE PUBLIC SCHOOLS	THE FAMILY SCHOOL	Met AYP	None	Continuance	Exemplary
147	99,911	ALBUQUERQUE CHARTER SCHOOLS	THE LEARNING COMMUNITY	Met AYP	None	Continuance	Meets Standards
148	1,363	ALBUQUERQUE PUBLIC SCHOOLS	TOMASITA ELEMENTARY	Met AYP	None	Continuance	Meets Standards
149	1,475	ALBUQUERQUE PUBLIC SCHOOLS	TRUMAN MIDDLE SCHOOL	Did not meet AYP	Restructuring 1	Provisional	Probationary
150	99,909	ALBUQUERQUE CHARTER SCHOOLS	TWENTY-FIRST CENTURY CHARTER	Met AYP	None	Continuance	Meets Standards
151	1,370	ALBUQUERQUE PUBLIC SCHOOLS	VALLE VISTA ELEMENTA	Did not meet AYP	Restructuring 1	Provisional	Probationary
152	1,560	ALBUQUERQUE PUBLIC SCHOOLS	VALLEY HIGH SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
153	1,460	ALBUQUERQUE PUBLIC SCHOOLS	VAN BUREN MIDDLE SCH	Did not meet AYP	None	Continuance	Meets Standards
154	1,840	ALBUQUERQUE PUBLIC SCHOOLS	VISION QUEST ALT. MIDDLE	Met AYP	None	Continuance	Not Rated
155	1,465	ALBUQUERQUE PUBLIC SCHOOLS	WASHINGTON MIDDLE SC	Did not meet AYP	Restructuring 2	Provisional	Probationary
156	1,570	ALBUQUERQUE PUBLIC SCHOOLS	WEST MESA HIGH SCHOO	Did not meet AYP	None	Continuance	Meets Standards
157	1,376	ALBUQUERQUE PUBLIC SCHOOLS	WHERRY ELEMENTARY	Met AYP	None	Continuance	Meets Standards
158	1,379	ALBUQUERQUE PUBLIC SCHOOLS	WHITTIER ELEMENTARY	Met AYP	None	Provisional	Meets Standards
159	1,470	ALBUQUERQUE PUBLIC SCHOOLS	WILSON MIDDLE SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
160	1,385	ALBUQUERQUE PUBLIC SCHOOLS	ZIA ELEMENTARY	Did not meet AYP	None	Continuance	Meets Standards
161	1,388	ALBUQUERQUE PUBLIC SCHOOLS	ZUNI ELEMENTARY	Did not meet AYP	None	Continuance	Meets Standards
162							
163	30,016	ANIMAS PUBLIC SCHOOLS	ANIMAS ELEMENTARY	Met AYP	None	Continuance	Meets Standards
164	30,017	ANIMAS PUBLIC SCHOOLS	ANIMAS HIGH SCHOOL	Met AYP	None	Continuance	Exceeds Standard
165	30,020	ANIMAS PUBLIC SCHOOLS	ANIMAS MIDDLE SCHOOL	Met AYP	None	Continuance	Meets Standards
166							
167	22,014	ARTESIA PUBLIC SCHOOLS	ARTESIA HIGH SCHOOL	Met AYP	None	Continuance	Meets Standards
168	22,187	ARTESIA PUBLIC SCHOOLS	ARTESIA PARK JUNIOR	Did not meet AYP	None	Continuance	Meets Standards
169	22,189	ARTESIA PUBLIC SCHOOLS	ARTESIA ZIA INTERMED	Did not meet AYP	None	Continuance	Meets Standards
170	22,032	ARTESIA PUBLIC SCHOOLS	CENTRAL ELEMENTARY	Met AYP	None	Continuance	Meets Standards
171	22,054	ARTESIA PUBLIC SCHOOLS	GRAND HTS.EARLY CHD.	Met AYP	None	Continuance	Meets Standards
172	22,056	ARTESIA PUBLIC SCHOOLS	HERMOSA ELEMENTARY	Met AYP	None	Continuance	Meets Standards

**New Mexico Public Education Department  
School Designations**

	A	B	C	D	E	F	G
1	DC	DISTRICT	SCHOOL	AYP	2004-2005 NCLB DESIGNATION	2004-2005 Accreditation Status	2003-2004 RATING
2							
173	22,128	ARTESIA PUBLIC SCHOOLS	PENASCO ELEMENTARY	Met AYP	None	Continuance	Exemplary
174	22,139	ARTESIA PUBLIC SCHOOLS	ROSELAWN ELEMENTARY	Met AYP	None	Continuance	Meets Standards
175	22,001	ARTESIA PUBLIC SCHOOLS	YESO ELEMENTARY	Met AYP	None	Continuance	Exceeds Standard
176	22,183	ARTESIA PUBLIC SCHOOLS	YUCCA ELEMENTARY	Met AYP	None	Continuance	Exceeds Standard
177							
178	64,018	AZTEC MUNICIPAL SCHOOLS	AZTEC HIGH SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
179	64,017	AZTEC MUNICIPAL SCHOOLS	C.V. KOGLER MIDDLE	Met AYP	None	Continuance	Probationary
180	64,136	AZTEC MUNICIPAL SCHOOLS	LYDIA RIPPEY ELEMENT	Met AYP	None	Continuance	Meets Standards
181	64,099	AZTEC MUNICIPAL SCHOOLS	MCCOY AVENUE ELEMENT	Met AYP	None	Continuance	Meets Standards
182	64,123	AZTEC MUNICIPAL SCHOOLS	PARK AVENUE ELEMENTA	Met AYP	None	Continuance	Probationary
183	64,002	AZTEC MUNICIPAL SCHOOLS	VISTA NUEVA HIGH SCH	Met AYP	None	Continuance	Meets Standards
184							
185	87,026	BELEN PUBLIC SCHOOLS	BELEN HIGH SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
186	87,001	BELEN PUBLIC SCHOOLS	BELEN INFINITY HIGH	Did not meet AYP	None	Continuance	Not Rated
187	87,025	BELEN PUBLIC SCHOOLS	BELEN MIDDLE SCHOOL	Did not meet AYP	SI - 2	Continuance	Probationary
188	87,034	BELEN PUBLIC SCHOOLS	CENTRAL ELEMENTARY	Met AYP	None	Continuance	Meets Standards
189	87,080	BELEN PUBLIC SCHOOLS	DENNIS CHAVEZ ELEMEN	Met AYP	None	Continuance	Meets Standards
190	87,066	BELEN PUBLIC SCHOOLS	GIL SANCHEZ ELEMENTA	Met AYP	None	Continuance	Meets Standards
191	87,086	BELEN PUBLIC SCHOOLS	JARAMILLO ELEMENTARY	Met AYP	SI-2 delay	Continuance	Probationary
192	87,038	BELEN PUBLIC SCHOOLS	LA MERCED ELEMENTARY	Met AYP	None	Continuance	Probationary
193	87,003	BELEN PUBLIC SCHOOLS	LA PROMESA ELEMENTAR	Did not meet AYP	SI - 1	Continuance	Probationary
194	87,045	BELEN PUBLIC SCHOOLS	RIO GRANDE ELEMENTAR	Met AYP	None	Continuance	Meets Standards
195	87,006	BELEN PUBLIC SCHOOLS	THE FAMILY SCHOOL	Met AYP	None	Continuance	Exceeds Standard
196							
197	61,016	BERNALILLO PUBLIC SCHOOLS	ALGODONES ELEMENTARY	Met AYP	None	Continuance	Probationary
198	61,027	BERNALILLO PUBLIC SCHOOLS	BERNALILLO HIGH SCHO	Did not meet AYP	None	Continuance	Meets Standards
199	61,026	BERNALILLO PUBLIC SCHOOLS	BERNALILLO MIDDLE SC	Did not meet AYP	None	Continuance	Meets Standards
200	61,020	BERNALILLO PUBLIC SCHOOLS	COCHITI ELEMENTARY	Met AYP	CA Delay	Provisional	Probationary
201	61,024	BERNALILLO PUBLIC SCHOOLS	COCHITI MIDDLE SCHOO	Met AYP	None	Continuance	Meets Standards
202	61,127	BERNALILLO PUBLIC SCHOOLS	PLACITAS ELEMENTARY	Met AYP	None	Continuance	Meets Standards
203	61,140	BERNALILLO PUBLIC SCHOOLS	ROOSEVELT PRIMARY	Met AYP	None	Continuance	Meets Standards
204	61,151	BERNALILLO PUBLIC SCHOOLS	SANTO DOMINGO ELEMEN	Met AYP	Restr 1 Delay	Provisional	Probationary
205	61,028	BERNALILLO PUBLIC SCHOOLS	SANTO DOMINGO MIDDLE	Did not meet AYP	Restructuring 1	Provisional	Probationary
206	61,136	BERNALILLO PUBLIC SCHOOLS	W.D. CARROLL ELEMENT	Did not meet AYP	None	Continuance	Meets Standards

**New Mexico Public Education Department  
School Designations**

	A	B	C	D	E	F	G
1	DC	DISTRICT	SCHOOL	AYP	2004-2005 NCLB DESIGNATION	2004-2005 Accreditation Status	2003-2004 RATING
2							
207							
208	66,025	BLOOMFIELD MUNICIPAL SCHOOLS	BLANCO ELEMENTARY	Met AYP	None	Continuance	Meets Standards
209	66,030	BLOOMFIELD MUNICIPAL SCHOOLS	BLOOMFIELD FAMILY LC	Met AYP	None	Continuance	Not Rated
210	66,026	BLOOMFIELD MUNICIPAL SCHOOLS	BLOOMFIELD HIGH SCHO	Did not meet AYP	None	Continuance	Meets Standards
211	66,033	BLOOMFIELD MUNICIPAL SCHOOLS	CENTRAL PRIMARY	Met AYP	None	Continuance	Probationary
212	66,001	BLOOMFIELD MUNICIPAL SCHOOLS	CHARLIE Y. BROWN ALT	Met AYP	None	Continuance	Probationary
213	66,095	BLOOMFIELD MUNICIPAL SCHOOLS	MESA ALTA JR HIGH SC	Met AYP	None	Continuance	Meets Standards
214	66,125	BLOOMFIELD MUNICIPAL SCHOOLS	NAABA ANI ELEMENTARY	Met AYP	None	Continuance	Probationary
215							
216	40,033	CAPITAN MUNICIPAL SCHOOLS	CAPITAN ELEMENTARY	Met AYP	None	Continuance	Meets Standards
217	40,034	CAPITAN MUNICIPAL SCHOOLS	CAPITAN HIGH SCHOOL	Met AYP	None	Continuance	Exceeds Standard
218	40,036	CAPITAN MUNICIPAL SCHOOLS	CAPITAN MIDDLE SCHOO	Met AYP	None	Continuance	Meets Standards
219							
220	20,018	CARLSBAD MUNICIPAL SCHOOLS	ALTA VISTA MIDDLE SC	Did not meet AYP	None	Continuance	Meets Standards
221	20,034	CARLSBAD MUNICIPAL SCHOOLS	CARLSBAD HIGH SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
222	20,038	CARLSBAD MUNICIPAL SCHOOLS	CRAFT ELEMENTARY	Met AYP	None	Continuance	Meets Standards
223	20,151	CARLSBAD MUNICIPAL SCHOOLS	DR. E.M. SMITH ELEME	Met AYP	None	Continuance	Meets Standards
224	20,047	CARLSBAD MUNICIPAL SCHOOLS	ECE CENTER	Met AYP	None	Continuance	Meets Standards
225	20,045	CARLSBAD MUNICIPAL SCHOOLS	EDDY ELEMENTARY	Met AYP	None	Continuance	Meets Standards
226	20,058	CARLSBAD MUNICIPAL SCHOOLS	HILLCREST ELEMENTARY	Met AYP	None	Continuance	Meets Standards
227	99,932	CARLSBAD CHARTER SCHOOLS	JEFFERSON MONTESSORI ACADEMY	Met AYP	None	Continuance	Not Rated
228	20,144	CARLSBAD MUNICIPAL SCHOOLS	JOE STANLEY SMITH EL	Met AYP	None	Continuance	Meets Standards
229	20,100	CARLSBAD MUNICIPAL SCHOOLS	MONTERREY ELEMENTARY	Met AYP	None	Continuance	Meets Standards
230	20,032	CARLSBAD MUNICIPAL SCHOOLS	P.R. LEYVA MIDDLE SC	Did not meet AYP	None	Continuance	Meets Standards
231	20,124	CARLSBAD MUNICIPAL SCHOOLS	PATE ELEMENTARY	Met AYP	None	Continuance	Meets Standards
232	20,126	CARLSBAD MUNICIPAL SCHOOLS	PUCKETT ELEMENTARY	Met AYP	None	Continuance	Meets Standards
233	20,133	CARLSBAD MUNICIPAL SCHOOLS	RIVERSIDE ELEMENTARY	Met AYP	None	Continuance	Meets Standards
234	20,158	CARLSBAD MUNICIPAL SCHOOLS	SUNSET ELEMENTARY	Met AYP	None	Continuance	Exceeds Standard
235							
236	37,035	CARRIZOZO MUNICIPAL SCHOOLS	CARRIZOZO ELEMENTARY	Met AYP	None	Continuance	Meets Standards
237	37,036	CARRIZOZO MUNICIPAL SCHOOLS	CARRIZOZO HIGH SCHOO	Met AYP	None	Continuance	Exceeds Standard
238	37,157	CARRIZOZO MUNICIPAL SCHOOLS	CARRIZOZO MIDDLE SCH	Met AYP	None	Continuance	Meets Standards
239							
240	67,025	CENTRAL CONSOLIDATED SCHOOLS	CAREER PREP ALTERNAT	Did not meet AYP	SI -1	Continuance	Probationary

**New Mexico Public Education Department  
School Designations**

	A	B	C	D	E	F	G
1	DC	DISTRICT	SCHOOL	AYP	2004-2005 NCLB DESIGNATION	2004-2005 Accreditation Status	2003-2004 RATING
2							
241	67,035	CENTRAL CONSOLIDATED SCHOOLS	CENTRAL HIGH SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
242	67,026	CENTRAL CONSOLIDATED SCHOOLS	EVA B. STOKELY ELEME	Met AYP	None	Continuance	Meets Standards
243	67,174	CENTRAL CONSOLIDATED SCHOOLS	GRACE B. WILSON ELEM	Met AYP	None	Continuance	Meets Standards
244	67,038	CENTRAL CONSOLIDATED SCHOOLS	KIRTLAND ELEMENTARY	Met AYP	None	Continuance	Meets Standards
245	67,034	CENTRAL CONSOLIDATED SCHOOLS	KIRTLAND MIDDLE SCHO	Met AYP	None	Continuance	Meets Standards
246	67,110	CENTRAL CONSOLIDATED SCHOOLS	MESA ELEMENTARY	Did not meet AYP	Restructuring 2	Provisional	Meets Standards
247	67,114	CENTRAL CONSOLIDATED SCHOOLS	NASCHITTI ELEMENTARY	Met AYP	CA - delay	Provisional	Probationary
248	67,055	CENTRAL CONSOLIDATED SCHOOLS	NATAANI NEZ ELEMENTA	Did not meet AYP	Restructuring 1	Provisional	Probationary
249	67,116	CENTRAL CONSOLIDATED SCHOOLS	NEWCOMB ELEMENTARY	Met AYP	SI - 2 delay	Continuance	Probationary
250	67,130	CENTRAL CONSOLIDATED SCHOOLS	NEWCOMB HIGH SCHOOL	Did not meet AYP	CA - delay	Provisional	Probationary
251	67,126	CENTRAL CONSOLIDATED SCHOOLS	NEWCOMB MIDDLE SCHOO	Met AYP	CA - delay	Provisional	Probationary
252	67,152	CENTRAL CONSOLIDATED SCHOOLS	NIZHONI ELEMENTARY	Did not meet AYP	Restructuring 1	Provisional	Probationary
253	67,075	CENTRAL CONSOLIDATED SCHOOLS	OJO AMARILLO ELEMENT	Met AYP	CA - delay	Provisional	Probationary
254	67,050	CENTRAL CONSOLIDATED SCHOOLS	RUTH N. BOND ELEMENT	Met AYP	None	Continuance	Meets Standards
255	67,039	CENTRAL CONSOLIDATED SCHOOLS	SHIPROCK HIGH SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
256	67,160	CENTRAL CONSOLIDATED SCHOOLS	TSE'BIT'AI MIDDLE SC	Did not meet AYP	Restructuring 2	Provisional	Probationary
257							
258	53,036	CHAMA VALLEY SCHOOLS	CHAMA ELEMENTARY	Met AYP	None	Continuance	Meets Standards
259	53,042	CHAMA VALLEY SCHOOLS	CHAMA MIDDLE SCHOOL	Met AYP	None	Continuance	Exceeds Standard
260	53,165	CHAMA VALLEY SCHOOLS	ESCALANTE HIGH SCHOO	Met AYP	None	Continuance	Meets Standards
261	53,064	CHAMA VALLEY SCHOOLS	TIERRA AMARILLA ELEM	Met AYP	None	Continuance	Meets Standards
262	53,068	CHAMA VALLEY SCHOOLS	TIERRA AMARILLA MIDD	Met AYP	None	Continuance	Meets Standards
263							
264	8,033	CIMARRON MUNICIPAL SCHOOLS	CIMARRON ELEMENTARY	Met AYP	None	Continuance	Meets Standards
265	8,034	CIMARRON MUNICIPAL SCHOOLS	CIMARRON HIGH SCHOOL	Met AYP	None	Continuance	Exceeds Standard
266	8,036	CIMARRON MUNICIPAL SCHOOLS	CIMARRON MIDDLE SCHO	Met AYP	None	Continuance	Meets Standards
267	8,047	CIMARRON MUNICIPAL SCHOOLS	EAGLE NEST ELEMENTAR	Met AYP	None	Continuance	Exemplary
268	8,048	CIMARRON MUNICIPAL SCHOOLS	EAGLE NEST MIDDLE SC	Met AYP	None	Continuance	Meets Standards
269	8,003	CIMARRON CHARTER SCHOOL	MORENO VALLEY HIGH SCHOOL	Did not meet AYP	None	Continuance	Not Rated
270							
271	84,037	CLAYTON PUBLIC SCHOOLS	ALVIS ELEMENTARY	Met AYP	None	Continuance	Meets Standards
272	84,015	CLAYTON CHARTER SCHOOL	AMISTAD CHARTER SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
273	84,039	CLAYTON PUBLIC SCHOOLS	CLAYTON HIGH SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
274	84,038	CLAYTON PUBLIC SCHOOLS	CLAYTON JUNIOR HIGH	Met AYP	None	Continuance	Meets Standards

**New Mexico Public Education Department  
School Designations**

	A	B	C	D	E	F	G
1	DC	DISTRICT	SCHOOL	AYP	2004-2005 NCLB DESIGNATION	2004-2005 Accreditation Status	2003-2004 RATING
2							
275	84,045	CLAYTON PUBLIC SCHOOLS	KISER ELEMENTARY	Met AYP	None	Continuance	Meets Standards
276							
277	48,038	CLOUDCROFT MUNICIPAL SCHOOLS	CLOUDCROFT ELEMENTAR	Met AYP	None	Continuance	Exceeds Standard
278	48,039	CLOUDCROFT MUNICIPAL SCHOOLS	CLOUDCROFT HIGH SCHO	Met AYP	None	Continuance	Exceeds Standard
279	48,042	CLOUDCROFT MUNICIPAL SCHOOLS	CLOUDCROFT MIDDLE SC	Met AYP	None	Continuance	Meets Standards
280							
281	12,040	CLOVIS MUNICIPAL SCHOOLS	BARRY ELEMENTARY	Met AYP	None	Continuance	Exceeds Standard
282	12,042	CLOVIS MUNICIPAL SCHOOLS	BELLA VISTA ELEMENTA	Met AYP	None	Continuance	Meets Standards
283	12,068	CLOVIS MUNICIPAL SCHOOLS	CAMEO ELEMENTARY	Did not meet AYP	SI -1	Continuance	Probationary
284	12,036	CLOVIS MUNICIPAL SCHOOLS	CLOVIS HIGH SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
285	12,058	CLOVIS MUNICIPAL SCHOOLS	HIGHLAND ELEMENTARY	Met AYP	None	Continuance	Meets Standards
286	12,066	CLOVIS MUNICIPAL SCHOOLS	JAMES BICKLEY ELEMEN	Met AYP	None	Continuance	Meets Standards
287	12,072	CLOVIS MUNICIPAL SCHOOLS	LA CASITA ELEMENTARY	Met AYP	None	Continuance	Meets Standards
288	12,080	CLOVIS MUNICIPAL SCHOOLS	LINCOLN JACKSON ARTS	Met AYP	None	Continuance	Meets Standards
289	12,084	CLOVIS MUNICIPAL SCHOOLS	LOCKWOOD ELEMENTARY	Met AYP	None	Continuance	Meets Standards
290	12,091	CLOVIS MUNICIPAL SCHOOLS	MARSHALL JR HIGH	Did not meet AYP	None	Continuance	Meets Standards
291	12,095	CLOVIS MUNICIPAL SCHOOLS	MESA ELEMENTARY	Met AYP	None	Continuance	Exceeds Standard
292	12,122	CLOVIS MUNICIPAL SCHOOLS	PARKVIEW ELEMENTARY	Met AYP	None	Continuance	Probationary
293	12,133	CLOVIS MUNICIPAL SCHOOLS	RANCHVALE ELEMENTARY	Met AYP	None	Continuance	Meets Standards
294	12,145	CLOVIS MUNICIPAL SCHOOLS	SANDIA ELEMENTARY	Met AYP	None	Continuance	Meets Standards
295	12,056	CLOVIS MUNICIPAL SCHOOLS	W.D. GATTIS JR HIGH	Met AYP	None	Continuance	Probationary
296	12,098	CLOVIS MUNICIPAL SCHOOLS	YUCCA JR HIGH SCHOOL	Met AYP	None	Continuance	Meets Standards
297	12,155	CLOVIS MUNICIPAL SCHOOLS	ZIA ELEMENTARY	Met AYP	None	Continuance	Meets Standards
298							
299	24,023	COBRE CONSOLIDATED SCHOOLS	BAYARD ELEMENTARY	Met AYP	None	Continuance	Meets Standards
300	24,033	COBRE CONSOLIDATED SCHOOLS	CENTRAL ELEMENTARY	Did not meet AYP	SI - 1	Continuance	Probationary
301	24,036	COBRE CONSOLIDATED SCHOOLS	COBRE HIGH SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
302	24,059	COBRE CONSOLIDATED SCHOOLS	HURLEY ELEMENTARY	Met AYP	None	Continuance	Meets Standards
303	24,143	COBRE CONSOLIDATED SCHOOLS	SAN LORENZO ELEMENTA	Met AYP	None	Continuance	Meets Standards
304	24,135	COBRE CONSOLIDATED SCHOOLS	SNELL MIDDLE SCHOOL	Met AYP	None	Continuance	Meets Standards
305							
306	38,038	CORONA MUNICIPAL SCHOOLS	CORONA ELEMENTARY	Met AYP	None	Continuance	Meets Standards
307	38,039	CORONA MUNICIPAL SCHOOLS	CORONA HIGH SCHOOL	Met AYP	None	Continuance	Meets Standards
308							

**New Mexico Public Education Department  
School Designations**

	A	B	C	D	E	F	G
1	DC	DISTRICT	SCHOOL	AYP	2004-2005 NCLB DESIGNATION	2004-2005 Accreditation Status	2003-2004 RATING
2							
309	62,037	CUBA INDEPENDENT SCHOOLS	CUBA ELEMENTARY	Did not meet AYP	SI -2	Continuance	Probationary
310	62,038	CUBA INDEPENDENT SCHOOLS	CUBA HIGH SCHOOL	Did not meet AYP	Restructuring 2	Provisional	Meets Standards
311	62,075	CUBA INDEPENDENT SCHOOLS	CUBA MIDDLE SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
312							
313	42,024	DEMING PUBLIC SCHOOLS	BELL ELEMENTARY	Met AYP	None	Continuance	Meets Standards
314	42,028	DEMING PUBLIC SCHOOLS	CHAPARRAL ELEMENTARY	Met AYP	None	Continuance	Meets Standards
315	42,036	DEMING PUBLIC SCHOOLS	COLUMBUS ELEMENTARY	Did not meet AYP	None	Continuance	Meets Standards
316	42,044	DEMING PUBLIC SCHOOLS	DEMING HIGH SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
317	42,025	DEMING PUBLIC SCHOOLS	DEMING MIDDLE SCHOOL	Met AYP	None	Continuance	Meets Standards
318	42,050	DEMING PUBLIC SCHOOLS	HOFACKET MID HIGH SC	Did not meet AYP	None	Continuance	Meets Standards
319	42,095	DEMING PUBLIC SCHOOLS	MARTIN ELEMENTARY	Met AYP	None	Continuance	Meets Standards
320	42,096	DEMING PUBLIC SCHOOLS	MEMORIAL ELEMENTARY	Met AYP	None	Continuance	Meets Standards
321	42,148	DEMING PUBLIC SCHOOLS	SMITH ELEMENTARY	Met AYP	None	Continuance	Probationary
322	42,156	DEMING PUBLIC SCHOOLS	SUNSHINE ELEMENTARY	Did not meet AYP	None	Continuance	Meets Standards
323							
324	85,044	DES MOINES MUNICIPAL SCHOOLS	DES MOINES ELEMENTAR	Met AYP	None	Continuance	Meets Standards
325	85,045	DES MOINES MUNICIPAL SCHOOLS	DES MOINES HIGH SCHO	Met AYP	None	Continuance	Meets Standards
326							
327	6,043	DEXTER CONSOLIDATED SCHOOLS	DEXTER ELEMENTARY	Met AYP	None	Continuance	Meets Standards
328	6,045	DEXTER CONSOLIDATED SCHOOLS	DEXTER HIGH SCHOOL	Met AYP	None	Continuance	Meets Standards
329	6,048	DEXTER CONSOLIDATED SCHOOLS	DEXTER MIDDLE SCHOOL	Met AYP	None	Continuance	Meets Standards
330							
331	60,044	DORA CONSOLIDATED SCHOOLS	DORA ELEMENTARY	Met AYP	None	Continuance	Meets Standards
332	60,045	DORA CONSOLIDATED SCHOOLS	DORA HIGH SCHOOL	Met AYP	None	Continuance	Meets Standards
333							
334	54,044	DULCE INDEPENDENT SCHOOLS	DULCE ELEMENTARY	Did not meet AYP	Restructuring 1	Provisional	Probationary
335	54,045	DULCE INDEPENDENT SCHOOLS	DULCE HIGH SCHOOL	Did not meet AYP	CA	Continuance	Meets Standards
336	54,050	DULCE INDEPENDENT SCHOOLS	DULCE MIDDLE SCHOOL	Did not meet AYP	CA	Continuance	Probationary
337							
338	58,047	ELIDA MUNICIPAL SCHOOLS	ELIDA ELEMENTARY	Met AYP	None	Continuance	Meets Standards
339	58,048	ELIDA MUNICIPAL SCHOOLS	ELIDA HIGH SCHOOL	Met AYP	None	Continuance	Meets Standards
340							
341	55,005	ESPAÑOLA PUBLIC SCHOOLS	ABIQUIU ELEMENTARY	Met AYP	None	Continuance	Meets Standards
342	55,015	ESPAÑOLA PUBLIC SCHOOLS	ALCALDE ELEMENTARY	Met AYP	CA - delay	Provisional	Probationary

**New Mexico Public Education Department  
School Designations**

	A	B	C	D	E	F	G
1	DC	DISTRICT	SCHOOL	AYP	2004-2005 NCLB DESIGNATION	2004-2005 Accreditation Status	2003-2004 RATING
2							
343	55,019	ESPAÑOLA PUBLIC SCHOOLS	CARLOS F. VIGIL MIDD	Did not meet AYP	CA	Continuance	Probationary
344	55,039	ESPAÑOLA PUBLIC SCHOOLS	CHIMAYO ELEMENTARY	Met AYP	None	Continuance	Probationary
345	55,042	ESPAÑOLA PUBLIC SCHOOLS	DIXON ELEMENTARY	Did not meet AYP	SI -2	Continuance	Probationary
346	55,049	ESPAÑOLA PUBLIC SCHOOLS	ESPANOLA MIDDLE SCHO	Did not meet AYP	Restructuring 1	Provisional	Probationary
347	55,050	ESPAÑOLA PUBLIC SCHOOLS	ESPANOLA VALLEY HIGH	Did not meet AYP	CA	Continuance	Meets Standards
348	55,053	ESPAÑOLA PUBLIC SCHOOLS	EUTIMIO"TIM"SALAZAR	Met AYP	None	Continuance	Meets Standards
349	55,059	ESPAÑOLA PUBLIC SCHOOLS	HERNANDEZ ELEMENTARY	Met AYP	CA - delay	Provisional	Probationary
350	55,048	ESPAÑOLA PUBLIC SCHOOLS	JAMES RODRIGUEZ ELEM	Did not meet AYP	CA	Continuance	Meets Standards
351	55,142	ESPAÑOLA PUBLIC SCHOOLS	LOS NINOS ELEMENTARY	Met AYP	None	Continuance	Meets Standards
352	55,040	ESPAÑOLA PUBLIC SCHOOLS	MOUNTAIN VIEW ELEMEN	Met AYP	None	Continuance	Meets Standards
353	55,144	ESPAÑOLA PUBLIC SCHOOLS	SAN JUAN ELEMENTARY	Did not meet AYP	SI-1	Continuance	Probationary
354	55,145	ESPAÑOLA PUBLIC SCHOOLS	TONY QUINTANA ELEMEN	Did not meet AYP	Restructuring 1	Provisional	Probationary
355	55,169	ESPAÑOLA PUBLIC SCHOOLS	VELARDE ELEMENTARY	Met AYP	None	Continuance	Meets Standards
356							
357	80,169	ESTANCIA MUNICIPAL SCHOOLS	ESTANCIA ELEMENTARY (K-2) OLD	Met AYP	None	Continuance	Meets Standards
358	80,001	ESTANCIA MUNICIPAL SCHOOLS	ESTANCIA ELEMENTARY (3-6) NEW	Met AYP	None	Continuance	Meets Standards
359	80,050	ESTANCIA MUNICIPAL SCHOOLS	ESTANCIA HIGH SCHOOL	Met AYP	None	Continuance	Meets Standards
360	80,172	ESTANCIA MUNICIPAL SCHOOLS	ESTANCIA MIDDLE SCHO	Did not meet AYP	None	Continuance	Meets Standards
361	80,185	ESTANCIA MUNICIPAL SCHOOLS	VAN STONE ELEMENTARY	Met AYP	None	Continuance	Meets Standards
362							
363	32,049	EUNICE MUNICIPAL SCHOOLS	CATON MIDDLE SCHOOL	Met AYP	None	Continuance	Meets Standards
364	32,050	EUNICE MUNICIPAL SCHOOLS	EUNICE HIGH SCHOOL	Met AYP	None	Continuance	Exceeds Standards
365	32,048	EUNICE MUNICIPAL SCHOOLS	METTIE JORDAN ELEMEN	Met AYP	None	Continuance	Probationary
366							
367	65,015	FARMINGTON MUNICIPAL SCHOOLS	ANIMAS ELEMENTARY	Met AYP	None	Continuance	Meets Standards
368	65,017	FARMINGTON MUNICIPAL SCHOOLS	APACHE ELEMENTARY	Met AYP	CA - delay	Provisional	Probationary
369	65,019	FARMINGTON MUNICIPAL SCHOOLS	BLUFFVIEW ELEMENTARY	Met AYP	None	Continuance	Meets Standards
370	65,037	FARMINGTON MUNICIPAL SCHOOLS	COUNTRY CLUB ELEMEN	Met AYP	None	Continuance	Meets Standards
371	65,038	FARMINGTON MUNICIPAL SCHOOLS	ESPERANZA ELEMENTARY	Did not meet AYP	SI-1	Continuance	Probationary
372	65,053	FARMINGTON MUNICIPAL SCHOOLS	FARMINGTON HIGH SCHO	Did not meet AYP	None	Continuance	Meets Standards
373	65,059	FARMINGTON MUNICIPAL SCHOOLS	HEIGHTS MIDDLE SCHO	Did not meet AYP	None	Continuance	Meets Standards
374	65,058	FARMINGTON MUNICIPAL SCHOOLS	HERMOSA MIDDLE SCHO	Did not meet AYP	None	Continuance	Meets Standards
375	65,073	FARMINGTON MUNICIPAL SCHOOLS	LADERA DEL NORTE ELE	Met AYP	None	Continuance	Meets Standards
376	65,095	FARMINGTON MUNICIPAL SCHOOLS	MCCORMICK ELEMENTARY	Met AYP	None	Continuance	Meets Standards

**New Mexico Public Education Department  
School Designations**

	A	B	C	D	E	F	G
1	DC	DISTRICT	SCHOOL	AYP	2004-2005 NCLB DESIGNATION	2004-2005 Accreditation Status	2003-2004 RATING
2							
377	65,100	FARMINGTON MUNICIPAL SCHOOLS	MCKINLEY ELEMENTARY	Met AYP	None	Continuance	Meets Standards
378	65,106	FARMINGTON MUNICIPAL SCHOOLS	MESA VERDE ELEMENTAR	Met AYP	None	Continuance	Meets Standards
379	65,108	FARMINGTON MUNICIPAL SCHOOLS	MESA VIEW MIDDLE SCH	Did not meet AYP	None	Continuance	Meets Standards
380	65,118	FARMINGTON MUNICIPAL SCHOOLS	NORTHEAST ELEMENTARY	Met AYP	None	Continuance	Meets Standards
381	65,006	FARMINGTON MUNICIPAL SCHOOLS	PIEDRA VISTA HIGH SC	Did not meet AYP	None	Continuance	Meets Standards
382	65,148	FARMINGTON MUNICIPAL SCHOOLS	ROCINANTE HIGH SCHOO	Did not meet AYP	SI - 1	Continuance	Probationary
383	65,162	FARMINGTON MUNICIPAL SCHOOLS	TIBBETTS MIDDLE SCHO	Did not meet AYP	None	Continuance	Meets Standards
384							
385	59,053	FLOYD MUNICIPAL SCHOOLS	FLOYD ELEMENTARY	Met AYP	None	Continuance	Meets Standards
386	59,054	FLOYD MUNICIPAL SCHOOLS	FLOYD HIGH SCHOOL	Met AYP	None	Continuance	Meets Standards
387	59,001	FLOYD MUNICIPAL SCHOOLS	FLOYD MIDDLE SCHOOL	Met AYP	None	Continuance	Meets Standards
388							
389	16,051	FORT SUMNER MUNICIPAL SCHOOLS	FORT SUMNER ELEMENTA	Did not meet AYP	None	Continuance	Meets Standards
390	16,052	FORT SUMNER MUNICIPAL SCHOOLS	FORT SUMNER HIGH SCH	Met AYP	None	Continuance	Exceeds Standard
391	16,060	FORT SUMNER MUNICIPAL SCHOOLS	FORT SUMNER MIDDLE S	Did not meet AYP	None	Continuance	Meets Standards
392							
393	19,016	GADSDEN INDEPENDENT SCHOOLS	ANTHONY ELEMENTARY	Did not meet AYP	CA	Continuance	Probationary
394	19,020	GADSDEN INDEPENDENT SCHOOLS	BERINO ELEMENTARY	Met AYP	None	Continuance	Meets Standards
395	19,030	GADSDEN INDEPENDENT SCHOOLS	CHAPARRAL ELEMENTARY	Met AYP	None	Continuance	Meets Standards
396	19,032	GADSDEN INDEPENDENT SCHOOLS	CHAPARRAL MIDDLE SCH	Did not meet AYP	CA	Continuance	Meets Standards
397	19,007	GADSDEN INDEPENDENT SCHOOLS	DESERT PRIDE ACADEMY	Did not meet AYP	None	Continuance	Not Rated
398	19,040	GADSDEN INDEPENDENT SCHOOLS	DESERT TRAILS INTERM	Did not meet AYP	SI - 1	Continuance	Probationary
399	19,035	GADSDEN INDEPENDENT SCHOOLS	DESERT VIEW ELEMENTA	Met AYP	CA -delay	Provisional	Probationary
400	19,054	GADSDEN INDEPENDENT SCHOOLS	GADSDEN HIGH SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
401	19,052	GADSDEN INDEPENDENT SCHOOLS	GADSDEN MIDDLE SCHOO	Did not meet AYP	CA	Continuance	Meets Standards
402	19,072	GADSDEN INDEPENDENT SCHOOLS	LA MESA ELEMENTARY	Did not meet AYP	None	Continuance	Meets Standards
403	19,076	GADSDEN INDEPENDENT SCHOOLS	LA UNION ELEMENTARY	Did not meet AYP	None	Continuance	Meets Standards
404	19,086	GADSDEN INDEPENDENT SCHOOLS	LOMA LINDA ELEMENTAR	Did not meet AYP	SI - 1	Continuance	Probationary
405	19,104	GADSDEN INDEPENDENT SCHOOLS	MESQUITE ELEMENTARY	Did not meet AYP	SI - 1	Continuance	Probationary
406	19,140	GADSDEN INDEPENDENT SCHOOLS	RIVERSIDE ELEMENTARY	Did not meet AYP	None	Continuance	Meets Standards
407	19,150	GADSDEN INDEPENDENT SCHOOLS	SAN MIGUEL ELEMENTAR	Met AYP	None	Continuance	Meets Standards
408	19,200	GADSDEN INDEPENDENT SCHOOLS	SANTA TERESA HIGH SC	Did not meet AYP	None	Continuance	Meets Standards
409	19,175	GADSDEN INDEPENDENT SCHOOLS	SANTA TERESA MIDDLE	Did not meet AYP	CA	Continuance	Meets Standards
410	19,013	GADSDEN INDEPENDENT SCHOOLS	SUNLAND PARK ELEMENT	Met AYP	None	Continuance	Meets Standards

**New Mexico Public Education Department  
School Designations**

	A	B	C	D	E	F	G
1	DC	DISTRICT	SCHOOL	AYP	2004-2005 NCLB DESIGNATION	2004-2005 Accreditation Status	2003-2004 RATING
2							
411	19,009	GADSDEN INDEPENDENT SCHOOLS	SUNRISE ELEMENTARY	Met AYP	None	Continuance	Not Rated
412							
413	43,030	GALLUP-MCKINLEY COUNTY PUBLIC	CHEE DODGE ELEMENTAR	Did not meet AYP	Restructuring 1	Provisional	Probationary
414	43,034	GALLUP-MCKINLEY COUNTY PUBLIC	CHURCH ROCK ELEMENTA	Did not meet AYP	Restructuring 2	Provisional	Meets Standards
415	43,038	GALLUP-MCKINLEY COUNTY PUBLIC	CROWNPOINT ELEMENTAR	Met AYP	CA - delay	Provisional	Probationary
416	43,039	GALLUP-MCKINLEY COUNTY PUBLIC	CROWNPOINT HIGH SCHO	Met AYP	None	Continuance	Meets Standards
417	43,088	GALLUP-MCKINLEY COUNTY PUBLIC	CROWNPOINT MIDDLE	Did not meet AYP	None	Continuance	Not Rated
418	43,160	GALLUP-MCKINLEY COUNTY PUBLIC	DAVID SKEET ELEMENTA	Did not meet AYP	Restructuring 2	Provisional	Meets Standards
419	43,016	GALLUP-MCKINLEY COUNTY PUBLIC	GALLUP CENTRAL ALT	Did not meet AYP	SI -1	Continuance	Probationary
420	43,055	GALLUP-MCKINLEY COUNTY PUBLIC	GALLUP HIGH SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
421	43,073	GALLUP-MCKINLEY COUNTY PUBLIC	GALLUP JUNIOR HIGH S	Did not meet AYP	CA	Continuance	Meets Standards
422	43,054	GALLUP-MCKINLEY COUNTY PUBLIC	GALLUP MIDDLE SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
423	43,062	GALLUP-MCKINLEY COUNTY PUBLIC	INDIAN HILLS ELEMENT	Met AYP	None	Continuance	Meets Standards
424	43,066	GALLUP-MCKINLEY COUNTY PUBLIC	JEFFERSON ELEMENTARY	Met AYP	None	Continuance	Meets Standards
425	43,190	GALLUP-MCKINLEY COUNTY PUBLIC	JOHN F. KENNEDY MID	Did not meet AYP	Restructuring 2	Provisional	Meets Standards
426	43,158	GALLUP-MCKINLEY COUNTY PUBLIC	JUAN DE ONATE ELEMEN	Met AYP	None	Continuance	Meets Standards
427	43,077	GALLUP-MCKINLEY COUNTY PUBLIC	LINCOLN ELEMENTARY	Met AYP	None	Continuance	Meets Standards
428	99,933	GALLUP-MCKINLEY CHARTER SCHOOL	MIDDLE COLLEGE HIGH SCHOOL	Did not meet AYP	None	Continuance	Not Rated
429	43,079	GALLUP-MCKINLEY COUNTY PUBLIC	NAVAJO ELEMENTARY	Did not meet AYP	Restructuring 1	Provisional	Probationary
430	43,100	GALLUP-MCKINLEY COUNTY PUBLIC	NAVAJO MIDDLE	Did not meet AYP	None	Continuance	Not rated
431	43,075	GALLUP-MCKINLEY COUNTY PUBLIC	NAVAJO PINE HIGH SCH	Did not meet AYP	None	Continuance	Meets Standards
432	43,132	GALLUP-MCKINLEY COUNTY PUBLIC	RAMAH ELEMENTARY	Did not meet AYP	CA	Continuance	Meets Standards
433	43,130	GALLUP-MCKINLEY COUNTY PUBLIC	RAMAH HIGH SCHOOL	Met AYP	None	Continuance	Meets Standards
434	43,134	GALLUP-MCKINLEY COUNTY PUBLIC	RED ROCK ELEMENTARY	Met AYP	None	Continuance	Meets Standards
435	43,138	GALLUP-MCKINLEY COUNTY PUBLIC	ROCKY VIEW ELEMENTAR	Did not meet AYP	Restructuring 1	Provisional	Probationary
436	43,135	GALLUP-MCKINLEY COUNTY PUBLIC	ROOSEVELT ELEMENTARY	Met AYP	None	Continuance	Meets Standards
437	43,152	GALLUP-MCKINLEY COUNTY PUBLIC	STAGECOACH ELEMENTAR	Did not meet AYP	Restructuring 1	Provisional	Probationary
438	43,162	GALLUP-MCKINLEY COUNTY PUBLIC	THOREAU ELEMENTARY	Met AYP	None	Continuance	Meets Standards
439	43,145	GALLUP-MCKINLEY COUNTY PUBLIC	THOREAU HIGH SCHOOL	Did not meet AYP	CA	Continuance	Probationary
440	43,155	GALLUP-MCKINLEY COUNTY PUBLIC	THOREAU MIDDLE SCHOO	Did not meet AYP	Restructuring 2	Provisional	Meets Standards
441	43,091	GALLUP-MCKINLEY COUNTY PUBLIC	TOBE TURBEN ELEMENTA	Did not meet AYP	Restructuring 1	Provisional	Probationary
442	43,164	GALLUP-MCKINLEY COUNTY PUBLIC	TOHATCHI ELEMENTARY	Met AYP	CA - delay	Provisional	Probationary
443	43,064	GALLUP-MCKINLEY COUNTY PUBLIC	TOHATCHI HIGH SCHOOL	Did not meet AYP	Restructuring 1	Provisional	Probationary
444	43,120	GALLUP-MCKINLEY COUNTY PUBLIC	TOHATCHI MIDDLE SCHO	Did not meet AYP	Restructuring 1	Provisional	Probationary

**New Mexico Public Education Department  
School Designations**

	A	B	C	D	E	F	G
1	DC	DISTRICT	SCHOOL	AYP	2004-2005 NCLB DESIGNATION	2004-2005 Accreditation Status	2003-2004 RATING
2							
445	43,170	GALLUP-MCKINLEY COUNTY PUBLIC	TWIN LAKES ELEMENTAR	Met AYP	CA - delay	Provisional	Probationary
446	43,173	GALLUP-MCKINLEY COUNTY PUBLIC	WASHINGTON ELEMENTAR	Met AYP	CA - delay	Provisional	Probationary
447							
448	15,055	GRADY MUNICIPAL SCHOOLS	GRADY ELEMENTARY	Met AYP	None	Continuance	Meets Standards
449	15,057	GRADY MUNICIPAL SCHOOLS	GRADY HIGH SCHOOL	Met AYP	None	Continuance	Exceeds Standard
450							
451	88,915	GRANTS-CIBOLA COUNTY SCHOOLS	BLUEWATER ELEMENTARY	Met AYP	None	Continuance	Meets Standards
452	88,038	GRANTS-CIBOLA COUNTY SCHOOLS	CUBERO ELEMENTARY	Did Not Meet AYP	SI - 2	Continuance	Probationary
453	88,055	GRANTS-CIBOLA COUNTY SCHOOLS	GRANTS HIGH SCHOOL	Did Not Meet AYP	None	Continuance	Meets Standards
454	88,057	GRANTS-CIBOLA COUNTY SCHOOLS	LAGUNA-ACOMA HIGH SC	Met AYP	None	Continuance	Probationary
455	88,058	GRANTS-CIBOLA COUNTY SCHOOLS	LAGUNA-ACOMA MIDDLE	Did Not Meet AYP	Restructuring 2	Provisional	Meets Standards
456	88,056	GRANTS-CIBOLA COUNTY SCHOOLS	LOS ALAMITOS MIDDLE	Did Not Meet AYP	None	Continuance	Meets Standards
457	88,099	GRANTS-CIBOLA COUNTY SCHOOLS	MESA VIEW ELEMENTARY	Did Not Meet AYP	SI - 1	Continuance	Probationary
458	88,104	GRANTS-CIBOLA COUNTY SCHOOLS	MILAN ELEMENTARY	Did Not Meet AYP	SI - 1	Continuance	Probationary
459	88,106	GRANTS-CIBOLA COUNTY SCHOOLS	MOUNT TAYLOR ELEMENT	Met AYP	None	Continuance	Meets Standards
460	88,152	GRANTS-CIBOLA COUNTY SCHOOLS	SAN RAFAEL ELEMENTAR	Met AYP	None	Continuance	Probationary
461	88,155	GRANTS-CIBOLA COUNTY SCHOOLS	SEBOYETA ELEMENTARY	Met AYP	SI - 2 Delay	Continuance	Probationary
462							
463	5,054	HAGERMAN MUNICIPAL SCHOOLS	HAGERMAN ELEMENTARY	Met AYP	None	Continuance	Meets Standards
464	5,055	HAGERMAN MUNICIPAL SCHOOLS	HAGERMAN HIGH SCHOOL	Met AYP	None	Continuance	Meets Standards
465	5,056	HAGERMAN MUNICIPAL SCHOOLS	HAGERMAN MIDDLE SCHO	Met AYP	None	Continuance	Probationary
466							
467	18,002	HATCH VALLEY MUNICIPAL SCHOOLS	ACE ALTERNATIVE HIGH	Did not meet AYP	None	Continuance	Not Rated
468	18,053	HATCH VALLEY MUNICIPAL SCHOOLS	GARFIELD ELEMENTARY	Met AYP	None	Continuance	Meets Standards
469	18,057	HATCH VALLEY MUNICIPAL SCHOOLS	HATCH VALLEY ELEMENT	Met AYP	None	Continuance	Probationary
470	18,058	HATCH VALLEY MUNICIPAL SCHOOLS	HATCH VALLEY HIGH SC	Met AYP	None	Continuance	Meets Standards
471	18,050	HATCH VALLEY MUNICIPAL SCHOOLS	HATCH VALLEY MIDDLE	Met AYP	None	Continuance	Meets Standards
472	18,001	HATCH VALLEY MUNICIPAL SCHOOLS	RIO GRANDE ELEMENTAR	Met AYP	SI - 2 Delay	Continuance	Probationary
473							
474	33,172	HOBBS MUNICIPAL SCHOOLS	B.T. WASHINGTON ELEM	Met AYP	None	Continuance	Meets Standards
475	33,028	HOBBS MUNICIPAL SCHOOLS	BROADMOOR ELEMENTARY	Met AYP	None	Continuance	Meets Standards
476	33,030	HOBBS MUNICIPAL SCHOOLS	COLLEGE LANE ELEMENT	Met AYP	None	Continuance	Meets Standards
477	33,032	HOBBS MUNICIPAL SCHOOLS	CORONADO ELEMENTARY	Met AYP	None	Continuance	Meets Standards
478	33,046	HOBBS MUNICIPAL SCHOOLS	EDISON ELEMENTARY	Met AYP	None	Continuance	Meets Standards

**New Mexico Public Education Department  
School Designations**

	A	B	C	D	E	F	G
1	DC	DISTRICT	SCHOOL	AYP	2004-2005 NCLB DESIGNATION	2004-2005 Accreditation Status	2003-2004 RATING
2							
479	33,057	HOBBS MUNICIPAL SCHOOLS	HIGHLAND JR HIGH SCH	Did not meet AYP	None	Continuance	Meets Standards
480	33,015	HOBBS MUNICIPAL SCHOOLS	HOBBS ALTERNATIVE LEARNING CTR.	Met AYP	None	Continuance	Not Rated
481	33,055	HOBBS MUNICIPAL SCHOOLS	HOBBS FRESHMAN SCHOOL	Did not meet AYP	None	Continuance	Not Rated
482	33,058	HOBBS MUNICIPAL SCHOOLS	HOBBS HIGH SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
483	33,059	HOBBS MUNICIPAL SCHOOLS	HOUSTON JR HIGH SCHO	Did not meet AYP	SI - 1	Continuance	Probationary
484	33,066	HOBBS MUNICIPAL SCHOOLS	JEFFERSON ELEMENTARY	Met AYP	None	Continuance	Probationary
485	33,072	HOBBS MUNICIPAL SCHOOLS	MILLS ELEMENTARY	Met AYP	None	Continuance	Meets Standards
486	33,144	HOBBS MUNICIPAL SCHOOLS	SANGER ELEMENTARY	Met AYP	None	Continuance	Meets Standards
487	33,156	HOBBS MUNICIPAL SCHOOLS	SOUTHERN HEIGHTS ELE	Met AYP	None	Continuance	Exceeds Standard
488	33,075	HOBBS MUNICIPAL SCHOOLS	STONE ELEMENTARY	Met AYP	None	Continuance	Meets Standards
489	33,164	HOBBS MUNICIPAL SCHOOLS	TAYLOR ELEMENTARY	Met AYP	SI - 1 Delay	Continuance	Probationary
490	33,176	HOBBS MUNICIPAL SCHOOLS	WILL ROGERS ELEMENTA	Met AYP	None	Continuance	Probationary
491							
492	39,059	HONDO VALLEY PUBLIC SCHOOLS	HONDO ELEMENTARY	Met AYP	None	Continuance	Meets Standards
493	39,060	HONDO VALLEY PUBLIC SCHOOLS	HONDO HIGH SCHOOL	Met AYP	None	Continuance	Meets Standards
494							
495	50,059	HOUSE MUNICIPAL SCHOOLS	HOUSE ELEMENTARY	Met AYP	None	Continuance	Meets Standards
496	50,060	HOUSE MUNICIPAL SCHOOLS	HOUSE HIGH SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
497							
498	34,064	JAL PUBLIC SCHOOLS	JAL ELEMENTARY	Met AYP	None	Continuance	Meets Standards
499	34,066	JAL PUBLIC SCHOOLS	JAL HIGH SCHOOL	Met AYP	None	Continuance	Exemplary
500	34,060	JAL PUBLIC SCHOOLS	JAL JR HIGH SCHOOL	Met AYP	None	Continuance	Meets Standards
501							
502	56,038	JEMEZ MOUNTAIN PUBLIC SCHOOLS	CORONADO HIGH SCHOOL	Met AYP	None	Continuance	Meets Standards
503	56,060	JEMEZ MOUNTAIN PUBLIC SCHOOLS	CORONADO MIDDLE SCHO	Met AYP	None	Continuance	Meets Standards
504	56,037	JEMEZ MOUNTAIN PUBLIC SCHOOLS	COYOTE ELEMENTARY	Met AYP	None	Continuance	Meets Standards
505	56,054	JEMEZ MOUNTAIN PUBLIC SCHOOLS	GALLINA ELEMENTARY	Met AYP	None	Continuance	Meets Standards
506	56,082	JEMEZ MOUNTAIN PUBLIC SCHOOLS	LINDRITH ELEMENTARY	Met AYP	None	Continuance	Meets Standards
507	56,087	JEMEZ MOUNTAIN PUBLIC SCHOOLS	LYBROOK ELEMENTARY	Did not meet AYP	SI - 2 Delay	Continuance	Probationary
508							
509	63,145	JEMEZ VALLEY PUBLIC SCHOOLS	JEMEZ VALLEY ELEMENT	Did not meet AYP	SI - 1	Continuance	Probationary
510	63,166	JEMEZ VALLEY PUBLIC SCHOOLS	JEMEZ VALLEY HIGH SC	Met AYP	None	Continuance	Meets Standards
511	63,170	JEMEZ VALLEY PUBLIC SCHOOLS	JEMEZ VALLEY MIDDLE	Met AYP	SI - 2 Delay	Continuance	Probationary
512	99,936	JEMEZ VALLEY PUBLIC SCHOOLS	WALATOWA CHARTER HIGH SCH	Met AYP	None	Continuance	Not Rated

**New Mexico Public Education Department  
School Designations**

	A	B	C	D	E	F	G
1	DC	DISTRICT	SCHOOL	AYP	2004-2005 NCLB DESIGNATION	2004-2005 Accreditation Status	2003-2004 RATING
2							
513	99,937	JEMEZ VALLEY CHARTER SCHOOLS	SAN DIEGO RIVERSIDE	Met AYP	SI - 2 Delay	Continuance	Probationary
514							
515	7,073	LAKE ARTHUR MUNICIPAL SCHOOLS	LAKE ARTHUR ELEMENTA	Met AYP	None	Continuance	Meets Standards
516	7,075	LAKE ARTHUR MUNICIPAL SCHOOLS	LAKE ARTHUR HIGH SCH	Met AYP	None	Continuance	Meets Standards
517	7,077	LAKE ARTHUR MUNICIPAL SCHOOLS	LAKE ARTHUR MIDDLE S	Met AYP	None	Continuance	Meets Standards
518							
519	17,010	LAS CRUCES PUBLIC SCHOOLS	ALAMEDA ELEMENTARY	Met AYP	None	Continuance	Meets Standards
520	17,172	LAS CRUCES PUBLIC SCHOOLS	BOOKER T. WASHINGTON	Met AYP	None	Provisional	Meets Standards
521	17,002	LAS CRUCES PUBLIC SCHOOLS	CAMINO REAL MIDDLE S	Did Not Meet AYP	None	Continuance	Meets Standards
522	17,034	LAS CRUCES PUBLIC SCHOOLS	CENTRAL ELEMENTARY	Met AYP	None	Continuance	Meets Standards
523	17,006	LAS CRUCES PUBLIC SCHOOLS	CESAR CHAVEZ ELEMENT	Met AYP	None	Continuance	Meets Standards
524	17,009	LAS CRUCES PUBLIC SCHOOLS	COLUMBIA ELEMENTARY	Met AYP	None	Continuance	Not Rated
525	17,036	LAS CRUCES PUBLIC SCHOOLS	CONLEE ELEMENTARY	Did Not Meet AYP	None	Continuance	Meets Standards
526	17,045	LAS CRUCES PUBLIC SCHOOLS	DESERT HILLS ELEMENT	Met AYP	None	Continuance	Meets Standards
527	17,048	LAS CRUCES PUBLIC SCHOOLS	DONA ANA ELEMENTARY	Met AYP	None	Continuance	Meets Standards
528	17,044	LAS CRUCES PUBLIC SCHOOLS	EAST PICACHO ELEMENT	Met AYP	None	Continuance	Meets Standards
529	17,051	LAS CRUCES PUBLIC SCHOOLS	FAIRACRES ELEMENTARY	Met AYP	None	Continuance	Meets Standards
530	17,059	LAS CRUCES PUBLIC SCHOOLS	HERMOSA HGTS ELEMENT	Met AYP	None	Continuance	Meets Standards
531	17,053	LAS CRUCES PUBLIC SCHOOLS	HIGHLAND ELEMENTARY	Met AYP	None	Continuance	Meets Standards
532	17,055	LAS CRUCES PUBLIC SCHOOLS	HILLRISE ELEMENTARY	Met AYP	None	Continuance	Exceeds Standard
533	17,061	LAS CRUCES PUBLIC SCHOOLS	JORNADA ELEMENTARY	Met AYP	None	Continuance	Meets Standards
534	17,075	LAS CRUCES PUBLIC SCHOOLS	LAS CRUCES HIGH SCHO	Did Not Meet AYP	None	Continuance	Meets Standards
535	17,065	LAS CRUCES PUBLIC SCHOOLS	LOMA HEIGHTS ELEMENT	Met AYP	None	Continuance	Meets Standards
536	17,086	LAS CRUCES PUBLIC SCHOOLS	LYNN MIDDLE SCHOOL	Met AYP	None	Continuance	Meets Standards
537	17,093	LAS CRUCES PUBLIC SCHOOLS	MAC ARTHUR ELEMENTAR	Met AYP	None	Continuance	Meets Standards
538	17,100	LAS CRUCES PUBLIC SCHOOLS	MAYFIELD HIGH SCHOOL	Did Not Meet AYP	None	Continuance	Meets Standards
539	17,098	LAS CRUCES PUBLIC SCHOOLS	MESILLA ALT PROGRAM	Met AYP	None	Continuance	Probationary
540	17,097	LAS CRUCES PUBLIC SCHOOLS	MESILLA ELEMENTARY	Met AYP	None	Continuance	Meets Standards
541	17,110	LAS CRUCES PUBLIC SCHOOLS	MESILLA PARK ELEMENT	Met AYP	None	Continuance	Meets Standards
542	17,130	LAS CRUCES PUBLIC SCHOOLS	ONATE HIGH SCHOOL	Did Not Meet AYP	None	Continuance	Meets Standards
543	17,035	LAS CRUCES PUBLIC SCHOOLS	PICACHO MIDDLE SCHOO	Did Not Meet AYP	SI - 1	Continuance	Probationary
544	17,200	LAS CRUCES PUBLIC SCHOOLS	SAN ANDRES HIGH SCHO	Did Not Meet AYP	SI - 1	Continuance	Probationary
545	17,144	LAS CRUCES PUBLIC SCHOOLS	SIERRA MIDDLE SCHOOL	Did Not Meet AYP	None	Continuance	Meets Standards
546	17,140	LAS CRUCES PUBLIC SCHOOLS	SUNRISE ELEMENTARY	Met AYP	None	Continuance	Meets Standards

**New Mexico Public Education Department  
School Designations**

	A	B	C	D	E	F	G
1	DC	DISTRICT	SCHOOL	AYP	2004-2005 NCLB DESIGNATION	2004-2005 Accreditation Status	2003-2004 RATING
2							
547	17,145	LAS CRUCES PUBLIC SCHOOLS	TOMBAUGH ELEMENTARY	Met AYP	None	Continuance	Meets Standards
548	17,150	LAS CRUCES PUBLIC SCHOOLS	UNIVERSITY HILLS ELE	Met AYP	None	Continuance	Meets Standards
549	17,166	LAS CRUCES PUBLIC SCHOOLS	VALLEY VIEW ELEMENTA	Met AYP	None	Continuance	Meets Standards
550	17,170	LAS CRUCES PUBLIC SCHOOLS	VISTA MIDDLE SCHOOL	Met AYP	None	Continuance	Meets Standards
551	17,177	LAS CRUCES PUBLIC SCHOOLS	WHITE SANDS ELEMENTA	Met AYP	None	Continuance	Meets Standards
552	17,178	LAS CRUCES PUBLIC SCHOOLS	WHITE SANDS MIDDLE S	Met AYP	None	Continuance	Meets Standards
553	17,184	LAS CRUCES PUBLIC SCHOOLS	ZIA MIDDLE SCHOOL	Met AYP	None	Continuance	Meets Standards
554							
555	69,045	LAS VEGAS CITY PUBLIC SCHOOLS	LEGION PARK ELEMENTA	Met AYP	None	Continuance	Probationary
556	69,037	LAS VEGAS CITY PUBLIC SCHOOLS	LOS NINOS ELEMENTARY	Met AYP	None	Continuance	Meets Standards
557	69,003	LAS VEGAS CITY PUBLIC SCHOOLS	LUCS EARLY CHILDHOOD	Met AYP	None	Continuance	Meets Standards
558	69,031	LAS VEGAS CITY PUBLIC SCHOOLS	MEMORIAL MIDDLE SCHO	Did Not Meet AYP	None	Continuance	Meets Standards
559	69,150	LAS VEGAS CITY PUBLIC SCHOOLS	MIKE "MATEO" SENA ELE	Met AYP	None	Continuance	Meets Standards
560	69,058	LAS VEGAS CITY PUBLIC SCHOOLS	PAUL D. HENRY ELEMEN	Met AYP	None	Continuance	Meets Standards
561	69,136	LAS VEGAS CITY PUBLIC SCHOOLS	ROBERTSON HIGH SCHOO	Did Not Meet AYP	None	Continuance	Meets Standards
562	69,054	LAS VEGAS CITY PUBLIC SCHOOLS	SIERRA VISTA ELEMENT	Met AYP	None	Continuance	Meets Standards
563	99,939	LAS VEGAS CITY CHARTER SCHOOLS	BRIDGE ACADEMY CHARTER HIGH	Met AYP	None	Continuance	Not Rated
564							
565	51,080	LOGAN MUNICIPAL SCHOOLS	LOGAN ELEMENTARY	Met AYP	None	Continuance	Meets Standards
566	51,081	LOGAN MUNICIPAL SCHOOLS	LOGAN HIGH SCHOOL	Met AYP	None	Continuance	Exceeds Standard
567	51,082	LOGAN MUNICIPAL SCHOOLS	LOGAN MIDDLE SCHOOL	Met AYP	None	Continuance	Not Rated
568							
569	29,034	LORDSBURG MUNICIPAL SCHOOLS	CENTRAL ELEMENTARY	Met AYP	None	Continuance	Probationary
570	29,060	LORDSBURG MUNICIPAL SCHOOLS	DUGAN-TARANGO MIDDLE	Met AYP	None	Continuance	Probationary
571	29,082	LORDSBURG MUNICIPAL SCHOOLS	LORDSBURG HIGH SCHOO	Did Not Meet AYP	None	Continuance	Meets Standards
572	29,174	LORDSBURG MUNICIPAL SCHOOLS	R. V. TRAYLOR ELEMEN	Met AYP	None	Continuance	Meets Standards
573	29,036	LORDSBURG MUNICIPAL SCHOOLS	SOUTHSIDE ELEMENTARY	Met AYP	None	Continuance	Probationary
574							
575	41,017	LOS ALAMOS PUBLIC SCHOOLS	ASPEN ELEMENTARY	Met AYP	None	Continuance	Meets Standards
576	41,021	LOS ALAMOS PUBLIC SCHOOLS	BARRANCA MESA ELEMEN	Met AYP	None	Continuance	Exemplary
577	41,040	LOS ALAMOS PUBLIC SCHOOLS	CHAMISA ELEMENTARY	Met AYP	None	Continuance	Exceeds Standard
578	41,080	LOS ALAMOS PUBLIC SCHOOLS	LOS ALAMOS HIGH SCHO	Did Not Meet AYP	None	Continuance	Exemplary
579	41,124	LOS ALAMOS PUBLIC SCHOOLS	LOS ALAMOS MIDDLE SC	Did Not Meet AYP	None	Continuance	Exceeds Standard
580	41,101	LOS ALAMOS PUBLIC SCHOOLS	MOUNTAIN ELEMENTARY	Met AYP	None	Continuance	Exceeds Standard

**New Mexico Public Education Department  
School Designations**

	A	B	C	D	E	F	G
1	DC	DISTRICT	SCHOOL	AYP	2004-2005 NCLB DESIGNATION	2004-2005 Accreditation Status	2003-2004 RATING
2							
581	41,127	LOS ALAMOS PUBLIC SCHOOLS	PINON ELEMENTARY	Met AYP	None	Continuance	Exemplary
582							
583	86,150	LOS LUNAS PUBLIC SCHOOLS	ANN PARISH ELEMENTAR	Met AYP	None	Continuance	Meets Standards
584	86,028	LOS LUNAS PUBLIC SCHOOLS	BOSQUE FARMS ELEMENT	Met AYP	None	Continuance	Meets Standards
585	86,009	LOS LUNAS PUBLIC SCHOOLS	CENTURY ALT HIGH SCH	Did Not Meet AYP	SI - 1	Continuance	Probationary
586	86,090	LOS LUNAS PUBLIC SCHOOLS	DANIEL FERNANDEZ INT	Met AYP	None	Continuance	Meets Standards
587	86,003	LOS LUNAS PUBLIC SCHOOLS	DESERT VIEW INTERMED	Did Not Meet AYP	Restructuring 1	Provisional	Probationary
588	86,080	LOS LUNAS PUBLIC SCHOOLS	K. GALLEGOS ELEMENTA	Met AYP	None	Continuance	Meets Standards
589	86,082	LOS LUNAS PUBLIC SCHOOLS	LOS LUNAS ELEMENTARY	Met AYP	None	Continuance	Meets Standards
590	86,018	LOS LUNAS PUBLIC SCHOOLS	LOS LUNAS FAMILY SCHOOL	Met AYP	None	Continuance	Not Rated
591	86,085	LOS LUNAS PUBLIC SCHOOLS	LOS LUNAS HIGH SCHOO	Did Not Meet AYP	None	Continuance	Meets Standards
592	86,084	LOS LUNAS PUBLIC SCHOOLS	LOS LUNAS MIDDLE SCH	Did Not Meet AYP	SI - 1	Continuance	Probationary
593	86,025	LOS LUNAS PUBLIC SCHOOLS	MANZANO VISTA MIDDLE	Did Not Meet AYP	SI - 1	Continuance	Probationary
594	86,016	LOS LUNAS PUBLIC SCHOOLS	MARIPOSA ELEMENTARY	Did Not Meet AYP	None	Continuance	Not Rated
595	86,122	LOS LUNAS PUBLIC SCHOOLS	PERALTA ELEMENTARY	Met AYP	None	Continuance	Meets Standards
596	86,083	LOS LUNAS PUBLIC SCHOOLS	RAYMOND GABALDON INT	Met AYP	None	Continuance	Meets Standards
597	86,180	LOS LUNAS PUBLIC SCHOOLS	TOME ELEMENTARY	Did Not Meet AYP	SI - 1	Continuance	Probationary
598	86,002	LOS LUNAS PUBLIC SCHOOLS	VALENCIA ELEMENTARY	Met AYP	None	Continuance	Meets Standards
599							
600	21,085	LOVING MUNICIPAL SCHOOLS	LOVING ELEMENTARY	Met AYP	None	Continuance	Meets Standards
601	21,086	LOVING MUNICIPAL SCHOOLS	LOVING HIGH SCHOOL	Did Not Meet AYP	None	Continuance	Meets Standards
602	21,088	LOVING MUNICIPAL SCHOOLS	LOVING MIDDLE SCHOOL	Met AYP	None	Continuance	Meets Standards
603							
604	31,123	LOVINGTON PUBLIC SCHOOLS	BEN ALEXANDER ELEMEN	Met AYP	None	Continuance	Meets Standards
605	31,068	LOVINGTON PUBLIC SCHOOLS	JEFFERSON ELEMENTARY	Met AYP	None	Continuance	Meets Standards
606	31,076	LOVINGTON PUBLIC SCHOOLS	LEA ELEMENTARY	Met AYP	None	Continuance	Meets Standards
607	31,078	LOVINGTON PUBLIC SCHOOLS	LLANO ELEMENTARY	Did Not Meet AYP	None	Continuance	Meets Standards
608	31,081	LOVINGTON PUBLIC SCHOOLS	LOVINGTON HIGH SCHOO	Met AYP	None	Continuance	Meets Standards
609	31,080	LOVINGTON PUBLIC SCHOOLS	LOVINGTON JR HIGH SC	Did Not Meet AYP	None	Continuance	Meets Standards
610	31,004	LOVINGTON PUBLIC SCHOOLS	NEW HOPE ALTERNATIVE HS	Did Not Meet AYP	None	Continuance	Not Rated
611	31,082	LOVINGTON PUBLIC SCHOOLS	TAYLOR MIDDLE SCHOOL	Did Not Meet AYP	None	Continuance	Meets Standards
612	31,181	LOVINGTON PUBLIC SCHOOLS	YARBRO ELEMENTARY	Did Not Meet AYP	SI - 1	Continuance	Probationary
613							
614	75,133	MAGDALENA MUNICIPAL SCHOOLS	MAGDALENA ELEMENTARY	Did Not Meet AYP	CA	Continuance	Probationary

**New Mexico Public Education Department  
School Designations**

	A	B	C	D	E	F	G
1	DC	DISTRICT	SCHOOL	AYP	2004-2005 NCLB DESIGNATION	2004-2005 Accreditation Status	2003-2004 RATING
2							
615	75,095	MAGDALENA MUNICIPAL SCHOOLS	MAGDALENA HIGH SCHOO	Met AYP	None	Continuance	Meets Standards
616	75,100	MAGDALENA MUNICIPAL SCHOOLS	MAGDALENA MIDDLE SCH	Met AYP	None	Continuance	Meets Standards
617							
618	11,100	MAXWELL MUNICIPAL SCHOOLS	MAXWELL ELEMENTARY	Met AYP	None	Continuance	Meets Standards
619	11,105	MAXWELL MUNICIPAL SCHOOLS	MAXWELL HIGH SCHOOL	Did Not Meet AYP	None	Continuance	Meets Standards
620	11,108	MAXWELL MUNICIPAL SCHOOLS	MAXWELL MIDDLE SCHOO	Met AYP	None	Continuance	Meets Standards
621							
622	14,094	MELROSE PUBLIC SCHOOLS	MELROSE ELEMENTARY	Met AYP	None	Continuance	Meets Standards
623	14,095	MELROSE PUBLIC SCHOOLS	MELROSE HIGH SCHOOL	Did Not Meet AYP	None	Continuance	Meets Standards
624	14,093	MELROSE PUBLIC SCHOOLS	MELROSE JUNIOR HIGH	Met AYP	None	Continuance	Not Rated
625							
626	78,047	MESA VISTA CONSOLID. SCHOOLS	EL RITO ELEMENTARY	Met AYP	None	Continuance	Meets Standards
627	78,119	MESA VISTA CONSOLID. SCHOOLS	MESA VISTA HIGH SCHO	Met AYP	None	Continuance	Meets Standards
628	78,125	MESA VISTA CONSOLID. SCHOOLS	MESA VISTA MIDDLE SC	Did Not Meet AYP	SI - 2	Continuance	Probationary
629	78,118	MESA VISTA CONSOLID. SCHOOLS	OJO CALIENTE ELEMENT	Met AYP	SI - 1 Delay	Continuance	Probationary
630							
631	44,059	MORA INDEPENDENT SCHOOLS	HOLMAN ELEMENTARY	Met AYP	None	Continuance	Meets Standards
632	44,104	MORA INDEPENDENT SCHOOLS	MORA ELEMENTARY	Met AYP	SI -1 delay	Continuance	Probationary
633	44,105	MORA INDEPENDENT SCHOOLS	MORA HIGH SCHOOL	Met AYP	None	Continuance	Meets Standards
634	44,001	MORA INDEPENDENT SCHOOLS	MORA MIDDLE SCHOOL	Met AYP	SI -1 delay	Continuance	Probationary
635							
636	81,110	MORIARTY MUNICIPAL SCHOOLS	EDGEWOOD ELEMENTARY	Met AYP	None	Continuance	Meets Standards
637	81,003	MORIARTY MUNICIPAL SCHOOLS	EDGEWOOD MIDDLE SCHO	Did not meet AYP	None	Continuance	Meets Standards
638	81,100	MORIARTY MUNICIPAL SCHOOLS	MORIARTY ELEMENTARY	Met AYP	None	Continuance	Meets Standards
639	81,101	MORIARTY MUNICIPAL SCHOOLS	MORIARTY HIGH SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
640	81,102	MORIARTY MUNICIPAL SCHOOLS	MORIARTY MIDDLE SCHO	Did not meet AYP	None	Continuance	Probationary
641	81,150	MORIARTY MUNICIPAL SCHOOLS	MOUNTAINVIEW ELEMENT	Met AYP	None	Continuance	Probationary
642	81,001	MORIARTY MUNICIPAL SCHOOLS	ROUTE 66 ELEMENTARY	Met AYP	None	Continuance	Meets Standards
643	81,120	MORIARTY MUNICIPAL SCHOOLS	SOUTH MOUNTAIN ELEME	Met AYP	None	Continuance	Exceeds Standard
644							
645	28,100	MOSQUERO MUNICIPAL SCHOOLS	MOSQUERO ELEMENTARY	Met AYP	None	Continuance	Meets Standards
646	28,101	MOSQUERO MUNICIPAL SCHOOLS	MOSQUERO HIGH SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
647							
648	82,105	MOUNTAINAIR PUBLIC SCHOOLS	MOUNTAINAIR ELEMENTA	Met AYP	None	Continuance	Meets Standards

**New Mexico Public Education Department  
School Designations**

	A	B	C	D	E	F	G
1	DC	DISTRICT	SCHOOL	AYP	2004-2005 NCLB DESIGNATION	2004-2005 Accreditation Status	2003-2004 RATING
2							
649	82,107	MOUNTAINAIR PUBLIC SCHOOLS	MOUNTAINAIR HIGH SCH	Did not meet AYP	None	Continuance	Meets Standards
650							
651	70,173	PECOS INDEPENDENT SCHOOLS	PECOS ELEMENTARY	Met AYP	None	Provisional	Meets Standards
652	70,124	PECOS INDEPENDENT SCHOOLS	PECOS HIGH SCHOOL	Met AYP	None	Continuance	Meets Standards
653	70,150	PECOS INDEPENDENT SCHOOLS	PECOS MIDDLE SCHOOL	Met AYP	None	Continuance	Meets Standards
654							
655	77,121	PENASCO INDEPENDENT SCHOOLS	PENASCO ELEMENTARY	Met AYP	None	Continuance	Meets Standards
656	77,123	PENASCO INDEPENDENT SCHOOLS	PENASCO HIGH SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
657	77,128	PENASCO INDEPENDENT SCHOOLS	PENASCO MIDDLE SCHOO	Met AYP	None	Continuance	Meets Standards
658							
659	72,123	POJOAQUE VALLEY PUBLIC SCHOOLS	PABLO ROYBAL ELEMENT	Did not meet AYP	None	Continuance	Meets Standards
660	72,124	POJOAQUE VALLEY PUBLIC SCHOOLS	POJOAQUE HIGH SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
661	72,128	POJOAQUE VALLEY PUBLIC SCHOOLS	POJOAQUE INTERMEDIAT	Met AYP	None	Continuance	Probationary
662	72,125	POJOAQUE VALLEY PUBLIC SCHOOLS	POJOAQUE MIDDLE SCHO	Met AYP	None	Continuance	Probationary
663							
664	57,020	PORTALES MUNICIPAL SCHOOLS	BROAD HORIZONS CENTE	Did not meet AYP	SI -1	Continuance	Probationary
665	57,028	PORTALES MUNICIPAL SCHOOLS	BROWN ELEMENTARY	Did not meet AYP	None	Continuance	Meets Standards
666	57,032	PORTALES MUNICIPAL SCHOOLS	JAMES ELEMENTARY	Did not meet AYP	None	Continuance	Meets Standards
667	57,078	PORTALES MUNICIPAL SCHOOLS	LINDSEY MIDDLE SCHOO	Did not meet AYP	None	Continuance	Meets Standards
668	57,124	PORTALES MUNICIPAL SCHOOLS	PORTALES HIGH SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
669	57,123	PORTALES MUNICIPAL SCHOOLS	PORTALES JR HIGH SCH	Did not meet AYP	None	Continuance	Meets Standards
670	57,154	PORTALES MUNICIPAL SCHOOLS	STEINER ELEMENTARY	Did not meet AYP	None	Continuance	Meets Standards
671	57,160	PORTALES MUNICIPAL SCHOOLS	VALENCIA ELEMENTARY	Did not meet AYP	None	Continuance	Meets Standards
672							
673	3,045	QUEMADO INDEPENDENT SCHOOLS	DATIL ELEMENTARY	Did not meet AYP	None	Continuance	Meets Standards
674	3,129	QUEMADO INDEPENDENT SCHOOLS	QUEMADO ELEMENTARY	Met AYP	None	Continuance	Meets Standards
675	3,130	QUEMADO INDEPENDENT SCHOOLS	QUEMADO HIGH SCHOOL	Met AYP	None	Continuance	Meets Standards
676							
677	79,001	QUESTA INDEPENDENT SCHOOLS	ALTA VISTA ELEMENTAR	Met AYP	None	Continuance	Meets Standards
678	79,003	QUESTA INDEPENDENT SCHOOLS	ALTA VISTA INTERMEDI	Met AYP	None	Continuance	Probationary
679	79,129	QUESTA INDEPENDENT SCHOOLS	QUESTA HIGH SCHOOL	Met AYP	None	Continuance	Meets Standards
680	79,130	QUESTA INDEPENDENT SCHOOLS	QUESTA JR HIGH SCHOO	Met AYP	None	Continuance	Meets Standards
681	99,946	QUESTA CHARTER SCHOOLS	RED RIVER VALLEY CHARTER	Met AYP	None	Continuance	Meets Standards
682	79,039	QUESTA INDEPENDENT SCHOOLS	RIO COSTILLA ELEMENT	Met AYP	None	Continuance	Meets Standards

**New Mexico Public Education Department  
School Designations**

	A	B	C	D	E	F	G
1	DC	DISTRICT	SCHOOL	AYP	2004-2005 NCLB DESIGNATION	2004-2005 Accreditation Status	2003-2004 RATING
2							
683	99,947	QUESTA CHARTER SCHOOLS	ROOTS AND WINGS COMMUNITY SCHOOL	Met AYP	None	Continuance	Meets Standards
684							
685	9,038	RATON PUBLIC SCHOOLS	COLUMBIAN ELEMENTARY	Met AYP	None	Continuance	Meets Standards
686	9,065	RATON PUBLIC SCHOOLS	KEARNEY ELEMENTARY	Met AYP	None	Continuance	Meets Standards
687	9,080	RATON PUBLIC SCHOOLS	LONGFELLOW ELEMENTAR	Met AYP	None	Continuance	Meets Standards
688	9,136	RATON PUBLIC SCHOOLS	RATON HIGH SCHOOL	Met AYP	None	Continuance	Meets Standards
689	9,135	RATON PUBLIC SCHOOLS	RATON MIDDLE SCHOOL	Met AYP	None	Continuance	Meets Standards
690							
691	2,055	RESERVE INDEPENDENT SCHOOLS	GLENWOOD ELEMENTARY	Met AYP	None	Continuance	Meets Standards
692	2,135	RESERVE INDEPENDENT SCHOOLS	RESERVE ELEMENTARY	Met AYP	None	Continuance	Meets Standards
693	2,136	RESERVE INDEPENDENT SCHOOLS	RESERVE HIGH SCHOOL	Met AYP	None	Continuance	Meets Standards
694							
695	83,050	RIO RANCHO PUBLIC SCHOOLS	COLINAS DEL NORTE EL	Met AYP	None	Continuance	Meets Standards
696	83,001	RIO RANCHO PUBLIC SCHOOLS	EAGLE RIDGE MIDDLE S	Did not meet AYP	None	Continuance	Meets Standards
697	83,100	RIO RANCHO PUBLIC SCHOOLS	ENCHANTED HILLS ELEM	Met AYP	None	Continuance	Exemplary
698	83,372	RIO RANCHO PUBLIC SCHOOLS	ERNEST STAPLETON ELE	Met AYP	None	Continuance	Meets Standards
699	83,481	RIO RANCHO PUBLIC SCHOOLS	LINCOLN MIDDLE SCHOO	Did not meet AYP	None	Continuance	Meets Standards
700	83,375	RIO RANCHO PUBLIC SCHOOLS	MARTIN KING JR ELEME	Met AYP	None	Continuance	Meets Standards
701	83,105	RIO RANCHO PUBLIC SCHOOLS	MOUNTAIN VIEW MIDDLE	Did not meet AYP	None	Continuance	Meets Standards
702	83,319	RIO RANCHO PUBLIC SCHOOLS	PUESTA DEL SOL ELEME	Met AYP	None	Continuance	Meets Standards
703	83,013	RIO RANCHO PUBLIC SCHOOLS	RIO RANCHO ALTERNATI	Did not meet AYP	None	Continuance	Meets Standards
704	83,340	RIO RANCHO PUBLIC SCHOOLS	RIO RANCHO ELEMENTAR	Met AYP	None	Continuance	Meets Standards
705	83,006	RIO RANCHO PUBLIC SCHOOLS	RIO RANCHO HIGH SCHO	Did not meet AYP	None	Continuance	Exceeds Standards
706	83,016	RIO RANCHO PUBLIC SCHOOLS	RIO RANCHO MID-HIGH SCHOOL	Did not meet AYP	None	Continuance	Not Rated
707	83,015	RIO RANCHO PUBLIC SCHOOLS	VISTA GRANDE ELEMENTARY SCHOOL	Met AYP	None	Continuance	Not Rated
708							
709	4,024	ROSWELL INDEPENDENT SCHOOLS	BERRENDO ELEMENTARY	Met AYP	None	Continuance	Meets Standards
710	4,025	ROSWELL INDEPENDENT SCHOOLS	BERRENDO MIDDLE SCHOO	Met AYP	None	Continuance	Meets Standards
711	4,041	ROSWELL INDEPENDENT SCHOOLS	DEL NORTE ELEMENTARY	Met AYP	None	Continuance	Meets Standards
712	4,044	ROSWELL INDEPENDENT SCHOOLS	E GRAND PLAINS ELEME	Met AYP	None	Continuance	Meets Standards
713	4,050	ROSWELL INDEPENDENT SCHOOLS	EL CAPITAN ELEMENTAR	Met AYP	None	Continuance	Meets Standards
714	4,130	ROSWELL INDEPENDENT SCHOOLS	GODDARD HIGH SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
715	4,042	ROSWELL INDEPENDENT SCHOOLS	MESA MIDDLE SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
716	4,095	ROSWELL INDEPENDENT SCHOOLS	MILITARY HGTS ELEMEN	Met AYP	None	Continuance	Meets Standards

**New Mexico Public Education Department  
School Designations**

	A	B	C	D	E	F	G
1	DC	DISTRICT	SCHOOL	AYP	2004-2005 NCLB DESIGNATION	2004-2005 Accreditation Status	2003-2004 RATING
2							
717	4,100	ROSWELL INDEPENDENT SCHOOLS	MISSOURI AVE ELEMENT	Met AYP	None	Continuance	Meets Standards
718	4,105	ROSWELL INDEPENDENT SCHOOLS	MONTERREY ELEMENTARY	Did not meet AYP	None	Continuance	Meets Standards
719	4,036	ROSWELL INDEPENDENT SCHOOLS	MOUNTAIN VIEW MIDDLE	Did not meet AYP	SI -1	Continuance	Probationary
720	4,052	ROSWELL INDEPENDENT SCHOOLS	NANCY LOPEZ ELEMENTA	Met AYP	None	Continuance	Probationary
721	4,126	ROSWELL INDEPENDENT SCHOOLS	PECOS ELEMENTARY	Met AYP	CA - delay	Continuance	Probationary
722	4,135	ROSWELL INDEPENDENT SCHOOLS	ROSWELL HIGH SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
723	99,928	ROSWELL CHARTER SCHOOLS	SIDNEY GUTIERREZ MIDDLE SCHOOL	Met AYP	None	Continuance	Exceeds Standards
724	4,125	ROSWELL INDEPENDENT SCHOOLS	SIERRA MIDDLE SCHOOL	Met AYP	None	Continuance	Meets Standards
725	4,120	ROSWELL INDEPENDENT SCHOOLS	SUNSET ELEMENTARY	Met AYP	SI -2 delay	Continuance	Probationary
726	4,132	ROSWELL INDEPENDENT SCHOOLS	UNIVERSITY HIGH SCHO	Did not meet AYP	SI - 1	Continuance	Probationary
727	4,161	ROSWELL INDEPENDENT SCHOOLS	VALLEY VIEW ELEMENTA	Met AYP	None	Continuance	Meets Standards
728	4,175	ROSWELL INDEPENDENT SCHOOLS	WASHINGTON AVE ELEME	Met AYP	None	Continuance	Meets Standards
729							
730	27,135	ROY MUNICIPAL SCHOOLS	ROY ELEMENTARY	Met AYP	None	Continuance	Exceeds Standard
731	27,136	ROY MUNICIPAL SCHOOLS	ROY HIGH SCHOOL	Met AYP	None	Continuance	Meets Standards
732							
733	36,115	RUIDOSO MUNICIPAL SCHOOLS	NOB HILL ELEMENTARY	Met AYP	None	Continuance	Probationary
734	36,139	RUIDOSO MUNICIPAL SCHOOLS	RUIDOSO HIGH SCHOOL	Met AYP	None	Continuance	Meets Standards
735	36,130	RUIDOSO MUNICIPAL SCHOOLS	RUIDOSO MIDDLE SCHOO	Did not meet AYP	None	Continuance	Meets Standards
736	36,145	RUIDOSO MUNICIPAL SCHOOLS	SIERRA VISTA PRIMARY	Met AYP	None	Continuance	Probationary
737	36,160	RUIDOSO MUNICIPAL SCHOOLS	WHITE MOUNTAIN ELEME	Met AYP	None	Continuance	Meets Standards
738	36,165	RUIDOSO MUNICIPAL SCHOOLS	WHITE MOUNTAIN INTER	Met AYP	None	Continuance	Meets Standards
739							
740	52,144	SAN JON MUNICIPAL SCHOOLS	SAN JON ELEMENTARY	Met AYP	None	Continuance	Meets Standards
741	52,145	SAN JON MUNICIPAL SCHOOLS	SAN JON HIGH SCHOOL	Met AYP	None	Continuance	Exceeds Standard
742	52,001	SAN JON MUNICIPAL SCHOOLS	SAN JON MIDDLE SCHOO	Met AYP	None	Continuance	Exceeds Standard
743							
744	99,941	SANTA FE CHARTER SCHOOLS	ACADEMY FOR TECHNOLOGY & CLASSICS	Met AYP	None	Continuance	Meets Standards
745	71,008	SANTA FE PUBLIC SCHOOLS	ACEQUIA MADRE ELEMEN	Met AYP	None	Continuance	Meets Standards
746	71,011	SANTA FE PUBLIC SCHOOLS	AGUA FRIA ELEMENTARY	Did not meet AYP	Restructuring 1	Provisional	Probationary
747	71,184	SANTA FE PUBLIC SCHOOLS	ALAMEDA MIDDLE SCHOO	Did not meet AYP	SI -1	Continuance	Probationary
748	71,016	SANTA FE PUBLIC SCHOOLS	ALVORD ELEMENTARY	Met AYP	None	Continuance	Meets Standards
749	71,033	SANTA FE PUBLIC SCHOOLS	ATALAYA ELEMENTARY	Met AYP	None	Continuance	Meets Standards
750	71,188	SANTA FE PUBLIC SCHOOLS	CALVIN CAPSHAW JR	Did not meet AYP	None	Continuance	Meets Standards

**New Mexico Public Education Department  
School Designations**

	A	B	C	D	E	F	G
1	DC	DISTRICT	SCHOOL	AYP	2004-2005 NCLB DESIGNATION	2004-2005 Accreditation Status	2003-2004 RATING
2							
751	71,020	SANTA FE PUBLIC SCHOOLS	CAPITAL HIGH SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
752	71,022	SANTA FE PUBLIC SCHOOLS	CARLOS GILBERT ELEME	Met AYP	None	Continuance	Exceeds Standards
753	71,005	SANTA FE PUBLIC SCHOOLS	CESAR CHAVEZ ELEMENT	Met AYP	None	Continuance	Meets Standards
754	71,146	SANTA FE PUBLIC SCHOOLS	CHAPARRAL ELEMENTARY	Met AYP	None	Continuance	Meets Standards
755	71,186	SANTA FE PUBLIC SCHOOLS	DE VARGAS JR HIGH SC	Did not meet AYP	None	Continuance	Meets Standards
756	71,099	SANTA FE PUBLIC SCHOOLS	E.J. MARTINEZ ELEMEN	Met AYP	None	Continuance	Meets Standards
757	71,110	SANTA FE PUBLIC SCHOOLS	EDWARD ORTIZ MIDDLE	Did not meet AYP	Restructuring 1	Provisional	Probationary
758	71,135	SANTA FE PUBLIC SCHOOLS	EL DORADO ELEMENTARY	Met AYP	None	Continuance	Exemplary
759	71,145	SANTA FE PUBLIC SCHOOLS	FRANCIS X. NAVA ELEM	Met AYP	None	Continuance	Meets Standards
760	71,057	SANTA FE PUBLIC SCHOOLS	GONZALES ELEMENTARY	Did not meet AYP	None	Continuance	Meets Standards
761	71,068	SANTA FE PUBLIC SCHOOLS	KAUNE ELEMENTARY	Met AYP	None	Continuance	Meets Standards
762	71,070	SANTA FE PUBLIC SCHOOLS	KEARNY ELEMENTARY	Met AYP	None	Continuance	Meets Standards
763	71,077	SANTA FE PUBLIC SCHOOLS	LARRAGOITE ELEMENTAR	Met AYP	None	Continuance	Probationary
764	99,940	SANTA FE CHARTER SCHOOLS	MONTE DEL SOL CHARTER SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
765		SANTA FE PUBLIC SCHOOLS	NYE EARLY CHILDHOOD	Did not meet AYP	None	Continuance	Meets Standards
766	71,100	SANTA FE PUBLIC SCHOOLS	PINON ELEMENTARY	Met AYP	None	Continuance	Meets Standards
767	71,130	SANTA FE PUBLIC SCHOOLS	R.M. SWEENEY ELEMENT	Met AYP	None	Continuance	Probationary
768	71,023	SANTA FE PUBLIC SCHOOLS	RAMIREZ THOMAS ELEMENTARY	Did not meet AYP	None	Continuance	Not Rated
769	71,143	SANTA FE PUBLIC SCHOOLS	SALAZAR ELEMENTARY	Did not meet AYP	None	Continuance	Meets Standards
770	71,165	SANTA FE PUBLIC SCHOOLS	SANTA FE HIGH SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
771	71,012	SANTA FE PUBLIC SCHOOLS	SER/SFPS CAREER ACADEMY	Did not meet AYP	None	Continuance	Meets Standards
772	71,160	SANTA FE PUBLIC SCHOOLS	TESUQUE ELEMENTARY	Met AYP	None	Continuance	Probationary
773	99,942	SANTA FE CHARTER SCHOOLS	TURQUOISE TRAIL ELEMENTARY	Met AYP	None	Continuance	Meets Standards
774	71,176	SANTA FE PUBLIC SCHOOLS	WOOD-GORMLEY ELEMENT	Met AYP	None	Continuance	Exceeds Standard
775							
776	25,020	SANTA ROSA SCHOOLS	ANTON CHICO MIDDLE S	Met AYP	None	Continuance	Meets Standards
777	25,015	SANTA ROSA SCHOOLS	RITA A. MARQUEZ ELEM	Met AYP	None	Continuance	Meets Standards
778	25,144	SANTA ROSA SCHOOLS	SANTA ROSA ELEMENTAR	Met AYP	None	Continuance	Meets Standards
779	25,146	SANTA ROSA SCHOOLS	SANTA ROSA HIGH SCHO	Met AYP	None	Continuance	Meets Standards
780	25,150	SANTA ROSA SCHOOLS	SANTA ROSA MIDDLE SC	Met AYP	None	Continuance	Meets Standards
781							
782	23,037	SILVER CONSOLIDATED SCHOOLS	CLIFF ELEMENTARY	Met AYP	None	Continuance	Exceeds Standard
783	23,034	SILVER CONSOLIDATED SCHOOLS	CLIFF HIGH SCHOOL	Met AYP	None	Continuance	Exceeds Standard
784	23,123	SILVER CONSOLIDATED SCHOOLS	G.W.STOUT ELEMENTARY	Met AYP	None	Continuance	Meets Standards

**New Mexico Public Education Department  
School Designations**

	A	B	C	D	E	F	G
1	DC	DISTRICT	SCHOOL	AYP	2004-2005 NCLB DESIGNATION	2004-2005 Accreditation Status	2003-2004 RATING
2							
785	23,157	SILVER CONSOLIDATED SCHOOLS	HARRISON SCHMITT ELE	Did not meet AYP	None	Continuance	Meets Standards
786	23,115	SILVER CONSOLIDATED SCHOOLS	JOSE BARRIOS ELEMENT	Met AYP	None	Continuance	Meets Standards
787	23,145	SILVER CONSOLIDATED SCHOOLS	LA PLATA MIDDLE SCHO	Did not meet AYP	None	Continuance	Meets Standards
788	23,152	SILVER CONSOLIDATED SCHOOLS	SILVER HIGH SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
789	23,155	SILVER CONSOLIDATED SCHOOLS	SIXTH STREET ELEMENT	Met AYP	None	Continuance	Meets Standards
790							
791	99,943	SOCORRO CHARTER SCHOOLS	COTTONWOOD VALLEY CHARTER	Met AYP	None	Continuance	Meets Standards
792	74,079	SOCORRO CONSOLIDATED SCHOOLS	MIDWAY ELEMENTARY	Met AYP	SI -1 delay	Continuance	Probationary
793	74,001	SOCORRO CONSOLIDATED SCHOOLS	PARKVIEW ELEMENTARY	Met AYP	None	Continuance	Meets Standards
794	74,155	SOCORRO CONSOLIDATED SCHOOLS	R. SARRACINO MIDDLE	Met AYP	None	Continuance	Probationary
795	74,144	SOCORRO CONSOLIDATED SCHOOLS	SAN ANTONIO ELEMENTA	Met AYP	None	Continuance	Meets Standards
796	74,160	SOCORRO CONSOLIDATED SCHOOLS	SOCORRO HIGH SCHOOL	Did not meet AYP	None	Continuance	Meets Standards
797	74,156	SOCORRO CONSOLIDATED SCHOOLS	ZIMMERLY ELEMENTARY	Met AYP	None	Continuance	Meets Standards
798							
799	10,056	SPRINGER MUNICIPAL SCHOOLS	FORRESTER ELEMENTARY	Met AYP	None	Continuance	Exemplary
800	10,052	SPRINGER MUNICIPAL SCHOOLS	MIRANDA JUNIOR HIGH	Met AYP	None	Continuance	Not Rated
801	10,150	SPRINGER MUNICIPAL SCHOOLS	SPRINGER HIGH SCHOOL	Met AYP	None	Continuance	Meets Standards
802	10,058	SPRINGER MUNICIPAL SCHOOLS	WILFERTH MIDDLE SCHO	Met AYP	None	Continuance	Meets Standards
803							
804	76,006	TAOS CHARTER SCHOOLS	ANANSI CHARTER SCHOOL	Met AYP	None	Continuance	Meets Standards
805	76,004	TAOS MUNICIPAL SCHOOLS	ARROYO DEL NORTE ELE	Met AYP	None	Continuance	Meets Standards
806	76,175	TAOS MUNICIPAL SCHOOLS	ENOS GARCIA ELEMENTA	Met AYP	None	Continuance	Meets Standards
807	76,133	TAOS MUNICIPAL SCHOOLS	RANCHOS DE TAOS ELEM	Met AYP	None	Continuance	Meets Standards
808	76,005	TAOS CHARTER SCHOOLS	TOAS MUNICIPAL CHARTER SCHOOL	Met AYP	None	Continuance	Meets Standards
809	76,163	TAOS MUNICIPAL SCHOOLS	TAOS ELEMENTARY	Met AYP	None	Continuance	Meets Standards
810	76,165	TAOS MUNICIPAL SCHOOLS	TAOS HIGH SCHOOL	Did Not Meet AYP	None	Continuance	Meets Standards
811	76,164	TAOS MUNICIPAL SCHOOLS	TAOS MIDDLE SCHOOL	Did Not Meet AYP	None	Continuance	Meets Standards
812							
813	35,162	TATUM MUNICIPAL SCHOOLS	TATUM ELEMENTARY	Met AYP	None	Continuance	Meets Standards
814	35,163	TATUM MUNICIPAL SCHOOLS	TATUM HIGH SCHOOL	Met AYP	None	Continuance	Meets Standards
815	35,090	TATUM MUNICIPAL SCHOOLS	TATUM JR HIGH SCHOOL	Met AYP	None	Continuance	Meets Standards
816							
817	13,161	TEXICO MUNICIPAL SCHOOLS	TEXICO ELEMENTARY	Met AYP	None	Continuance	Meets Standards
818	13,162	TEXICO MUNICIPAL SCHOOLS	TEXICO HIGH SCHOOL	Met AYP	None	Continuance	Exceeds Standard

**New Mexico Public Education Department  
School Designations**

	A	B	C	D	E	F	G
1	DC	DISTRICT	SCHOOL	AYP	2004-2005 NCLB DESIGNATION	2004-2005 Accreditation Status	2003-2004 RATING
2							
819	13,163	TEXICO MUNICIPAL SCHOOLS	TEXICO MIDDLE SCHOOL	Met AYP	None	Continuance	Meets Standards
820							
821	73,016	T OR C MUNICIPAL SCHOOLS	ARREY ELEMENTARY	Met AYP	SI - 2 Delay	Continuance	Probationary
822	73,001	T OR C MUNICIPAL SCHOOLS	GERONIMO TRAILS ALTERNATIVE	Did Not Meet AYP	None	Continuance	Not Rated
823	73,058	T OR C MUNICIPAL SCHOOLS	HOT SPRINGS HIGH SCH	Did Not Meet AYP	None	Continuance	Meets Standards
824	73,060	T OR C MUNICIPAL SCHOOLS	SIERRA ELEMENTARY	Met AYP	None	Continuance	Meets Standards
825	73,162	T OR C MUNICIPAL SCHOOLS	T OR C ELEMENTARY	Met AYP	None	Continuance	Meets Standards
826	73,063	T OR C MUNICIPAL SCHOOLS	T OR C MIDDLE SCHOOL	Met AYP	None	Continuance	Meets Standards
827							
828	49,043	TUCUMCARI PUBLIC SCHOOLS	TUCUMCARI ELEMENTARY	Met AYP	None	Continuance	Meets Standards
829	49,164	TUCUMCARI PUBLIC SCHOOLS	TUCUMCARI HIGH SCHOO	Met AYP	None	Continuance	Meets Standards
830	49,163	TUCUMCARI PUBLIC SCHOOLS	TUCUMCARI MIDDLE SCH	Met AYP	SI - 1 Delay	Continuance	Probationary
831							
832	47,163	TULAROSA MUNICIPAL SCHOOLS	TULAROSA ELEMENTARY	Met AYP	None	Continuance	Probationary
833	47,165	TULAROSA MUNICIPAL SCHOOLS	TULAROSA HIGH SCHOOL	Met AYP	None	Continuance	Meets Standards
834	47,164	TULAROSA MUNICIPAL SCHOOLS	TULAROSA MIDDLE SCHO	Did Not Meet AYP	None	Continuance	Meets Standards
835							
836	26,168	VAUGHN MUNICIPAL SCHOOLS	VAUGHN ELEMENTARY	Met AYP	None	Continuance	Meets Standards
837	26,169	VAUGHN MUNICIPAL SCHOOLS	VAUGHN HIGH SCHOOL	Met AYP	None	Continuance	Exceeds Standard
838							
839							
840	45,172	WAGON MOUND PUBLIC SCHOOLS	WAGON MOUND ELEMENTA	Met AYP	None	Continuance	Probationary
841	45,173	WAGON MOUND PUBLIC SCHOOLS	WAGON MOUND HIGH SCH	Met AYP	None	Continuance	Meets Standards
842							
843	68,112	WEST LAS VEGAS PUBLIC SCHOOLS	DON CECILIO MTZ ELEM	Met AYP	None	Continuance	Meets Standards
844	68,012	WEST LAS VEGAS PUBLIC SCHOOLS	LUIS E. ARMIJO ELEME	Met AYP	None	Continuance	Meets Standards
845	68,125	WEST LAS VEGAS PUBLIC SCHOOLS	TONY SERNA JR. ELEME	Met AYP	None	Continuance	Meets Standards
846	68,157	WEST LAS VEGAS PUBLIC SCHOOLS	UNION ELEMENTARY	Met AYP	None	Continuance	Meets Standards
847	68,050	WEST LAS VEGAS PUBLIC SCHOOLS	VALLEY ELEMENTARY	Met AYP	CA Delay	Provisional	Probationary
848	68,068	WEST LAS VEGAS PUBLIC SCHOOLS	VALLEY MIDDLE SCHOOL	Met AYP	None	Continuance	Meets Standards
849	68,173	WEST LAS VEGAS PUBLIC SCHOOLS	W LAS VEGAS HIGH SCH	Met AYP	None	Continuance	Meets Standards
850	68,172	WEST LAS VEGAS PUBLIC SCHOOLS	W LAS VEGAS MIDDLE S	Met AYP	CA Delay	Provisional	Probationary
851	68,003	WEST LAS VEGAS PUBLIC SCHOOLS	WLV FAMILY PARTNERSH	Met AYP	None	Continuance	Meets Standards
852							

**New Mexico Public Education Department  
School Designations**

	A	B	C	D	E	F	G
1	DC	DISTRICT	SCHOOL	AYP	2004-2005 NCLB DESIGNATION	2004-2005 Accreditation Status	2003-2004 RATING
2							
853	89,025	ZUNI PUBLIC SCHOOLS	A:SHIWI ELEMENTARY	Met AYP	SI - 2 Delay	Continuance	Probationary
854	89,165	ZUNI PUBLIC SCHOOLS	DOWA YALANNE ELEMENT	Did Not Meet AYP	CA	Continuance	Probationary
855	89,192	ZUNI PUBLIC SCHOOLS	TWIN BUTTES HIGH SCH	Met AYP	SI - 1 Delay	Continuance	Probationary
856	89,190	ZUNI PUBLIC SCHOOLS	ZUNI HIGH SCHOOL	Did Not Meet AYP	None	Continuance	Meets Standards
857	89,001	ZUNI PUBLIC SCHOOLS	ZUNI INTERMEDIATE	Did Not Meet AYP	None	Continuance	Not Rated
858	89,195	ZUNI PUBLIC SCHOOLS	ZUNI MIDDLE SCHOOL	Did Not Meet AYP	Restructuring 2	Provisional	Probationary
859							
860		Total Schools Rated					740